The Journal of **THORACIC AND CARDIOVASCULAR SURGERY**

Official organ, The American Association for Thoracic Surgery and The Samson Thoracic Surgical Society

Editor DWIGHT C. McGOON, *Rochester, Minn.*

Associate editors PHILIP E. BERNATZ, *Rochester, Minn.*
MICHAEL P. KAYE, *Rochester, Minn.*

Advisory editorial board
W. GERALD AUSTEN, *Boston*
RONALD J. BAIRD, *Toronto*
ALDO R. CASTANEDA, *Boston*
WILLARD M. DAGGETT, *Boston*
DONALD B. DOTY, *Iowa City*
L. PENFIELD FABER, *Chicago*
VINCENT L. GOTT, *Baltimore*
HERMES C. GRILLO, *Boston*
GERARD A. KAISER, *Miami*
JOHN W. KIRKLIN, *Birmingham*
GEORGE G. LINDESMITH, *Los Angeles*
FLOYD D. LOOP, *Cleveland*
GEORGE J. MAGOVERN, *Pittsburgh*
JAMES R. MALM, *New York*
NOEL L. MILLS, *New Orleans*
DONALD G. MULDER, *Los Angeles*
THOMAS F. NEALON, JR., *New York*
FREDERICK G. PEARSON, *Toronto*
DAVID C. SABISTON, JR., *Durham, N. C.*
J. GORDON SCANNELL, *Boston*
DAVID B. SKINNER, *Chicago*
NICHOLAS P. D. SMYTH, *Washington, D. C.*
FRANK C. SPENCER, *New York*
ALBERT STARR, *Portland*
JOE R. UTLEY, *San Diego*
V. L. WILLMAN, *St. Louis*

Editorial assistant AGNES M. OSBORN, *Rochester, Minn.*

Former Editors
EVARTS A. GRAHAM, *Editor, 1931-1957*
EMILE HOLMAN, *Editor, 1957-1962*
BRIAN BLADES, *Editor, 1962-1977*

Volume 81, January-June, 1981
The C. V. Mosby Company
St. Louis, Mo.

Volume 81
Copyright © 1981 by The C. V. Mosby Company
All rights reserved
Printed in the United States of America

Author index*

A

Addetia AM, 219
Agarwal KC, 591
Ahmed SN, 846
Akl BF, 691
Allen P, 626
Alley RD, 485
Allwork SP, 887
Alvarez-Diaz F, 131
Anderson RH, 649, 887
Anderson RP, 28 (D), 34
Anderson RW, 347
Anema RJ, 408
Aoshima M, 364
Arciniegas E, 580, 768
Arentzen CE, 347
Arun KV, 464
Ashmore PG, 459
Atai M, 106
Attarian DE, 264, 382, 389
Austin JHM, 318 (L)
Azar I, 516

B

Babb JD, 450
Babka R, 378
Badenhorst PN, 880
Bailey WW, 423
Baker RR, 318 (L)
Bakhos M, 378
Baño-Rodrigo A, 803 (L)
Barnard CN, 433
Barnard MS, 433, 621
Barner HB, 948 (L)
Barratt-Boyes BG, 120
Baumgartner WA, 212, 553
Baysinger M, 155, 163
Beazley HL, 100
Becker AE, 649
Becker H, 507
Belin RP, 738
Berg R Jr, 493
Berger RL, 317 (L), 727
Berman W Jr, 691
Bernhard WF, 727
Bethencourt DM, 440
Bishop AF, 758
Bixler TJ, 537
Blackstone EH, 455, 528, 602, 669
Bloss RS, 916
Bonchek LI, 949
Borkat G, 245
Borovetz HS, 556
Bortolotti U, 934, 947 (L)
Bowen TE, 92, 615, 632, 943
Bowers TK, 370
Boyce SW, 747
Bradley EL, 528
Braimbridge MV, 873
Brantigan CO, 56 (D)
Bregman D, 497 (D)
Brennan FJ, 135
Breyer RH, 187, 193 (D)
Brott WH, 92, 632
Buckberg GD, 316 (L), 507
Burr LH, 626
Butterfield J, 171

C

Cabrol C, 309
Callaghan JC, 219, 226 (D)
Campbell CD, 288
Canty TG, 96
Carlsson E, 61
Carpentier A, 659, 668 (D)
Caspi J, 897
Castaneda AR, 334
Cella G, 947 (L)
Cham B, 309
Chambers JA, 718
Charles S, 302
Charrette EJP, 396
Chauvaud S, 659
Chaux A, 202
Cheitlin MD, 92
Chesebro JH, 85
Chiong MA, 948 (L)
Chitwood WR Jr, 382, 389
Chun PKC, 92
Clark RE, 758
Clay WC, 718
Codini MA, 502
Cohn LH, 142 (L)
Coles JC, 846
Coles JG, 846
Collins GF, 916
Commerford PJ, 621
Cooper DKC, 433
Cooper JD, 376 (C), 813
Coppe D, 274
Corpus R, 846
Cosgrove DM, 675
Craddock PR, 370
Crozier RE, 50
Csicsko JF, 419
Curchio CA, 433
Curcio CA, 621
Currie WD, 264, 382, 389, 865
Cyrus RJ, 602

D

D'Angelo GJ, 643 (L)
Danielson GK, 338, 577, 591
Davia JE, 92, 632
David I, 787
Davis Z, 317 (L), 727
Deaner RM, 57
Dearing JP, 928
Debski RF, 556
de Kock F, 880
DeLaria GA, 403, 502, 803 (L)
Del Campo C, 846
DeLeon SY, 906
de Leval MR, 112
Deloche A, 659
Dennis C, 641
De Venuto F, 155
Digerness SB, 455
Dillon T, 691
Dobell ARC, 916
Dobnik DB, 727
Donahoo JS, 227, 231 (D)
Doty DB, 232, 470, 636
Dubost C, 659

E

Ebert PA, 61
Edmunds LH Jr, 519
Edwards WD, 338, 577, 591, 803 (L)
El-Etr A, 378, 800
Ellestad C, 464
Ellis FH Jr, 18 (D), 48 (D), 50
Ellis RJ, 137
Etievent P, 309
Eufrate S, 316 (L)
Eugene J, 30
Eybel CE, 502

F

Faber LP, 187, 251
Fabiani JN, 659
Farooki ZQ, 580, 768
Feldman H, 202
Feldt RH, 591, 803 (L)
Ferrans VJ, 747
Fewel JG, 11
Flemma RJ, 318 (L)
Follette DM, 507
Fosburg RG, 42 (D), 823 (D)
Foster ED, 485
Fowler RS, 326
Friesen R, 171
Frye RL, 85
Fudge TL, 400
Fukatani G, 732
Fuqua JM Jr, 718
Furman S, 713

G

Gadisseux P, 302
Gallagher JJ, 698, 707
Gallucci V, 934, 947 (L)
Gamallo-Amat C, 804 (L)
Gandjbakhch I, 309
Gardner TJ, 227, 537
Gaudiani VA, 797
Gavin JB, 120
Geary G, 408
Geha AS, 297
Geiss DM, 326
Gerein AN, 626
Gertz EW, 137
Ghidoni JJ, 11
Ghosh SC, 667 (D)
Gibbons JE, 916
Gilbert DN, 564
Girolami A, 947 (L)
Godwin JD, 61
Goldbach MM, 846
Goldhaber SZ, 793

*January, pp. 1-154; February, pp. 155-322; March, pp. 323-484; April, pp. 485-648; May, pp. 649-812; June, pp. 813-974. *Key:* In this index, (C) = commentary, (D) = discussion, and (L) = letter to the Editor.

Goldin MD, 403
Golding LAR, 675
Goor DA, 774, 787, 840, 897
Gott VL, 180, 537, 822 (D)
Grace RR, 19 (D)
Grant AF, 574
Gray RJ, 202
Green DC, 92, 632
Green EW, 580, 768
Green LH, 793
Greenburg AG, 155
Greenspan A, 519
Griffith BP, 556
Grover FL, 11, 19 (D), 44, 170 (D), 464
Groves LK, 675
Grunwald RP, 493
Guiraudon G, 309
Gutierrez FR, 758

H

Hadi H, 106
Hagstrom JWC, 546
Hakimi M, 580, 768
Hammar SP, 34
Hammerschmidt DE, 370, 377 (D)
Hammond CB, 830
Hammond GL, 297
Hardesty RL, 556
Hassoulas J, 433
Hausner RJ, 100
Hawes CR, 171
Hearse DJ, 873
Heineman FW, 851
Hendel PN, 574
Henderson M, 396
Hernandez J, 171
Hessel EA, 423
Heydorn WH, 155
Heyns AduP, 880
Hibbs CW, 718
Hicks LM, 358, 363 (D)
Hicks RG, 781
Hilgenberg AD, 818, 823 (D)
Hill LD III, 34, 55 (D), 491 (D)
Hill RC, 264, 382, 389, 865
Hjelms E, 120
Ho SY, 887
Hoffmann TH, 44, 49 (D), 55 (D), 200 (D)
Hojo H, 364
Hope AF, 880
House AJS, 825
Howell JF, 100
Huhta JC, 577, 803 (L)
Hunter JA, 403
Hurley EJ, 169 (D)

I

Idriss FS, 906
Igo SR, 718
Ilbawi MN, 906
Ilves R, 813, 817 (D)
Installe E, 302
Ishihara T, 747
Istanbouli M, 800
Ivey TD, 423
Iwa T, 732

J

Jacob HS, 370, 377 (D)
Jamieson SW, 21, 212, 797
Jamieson WRE, 626
Jamplis RW, 48 (D)
Janusz MT, 626
Javid H, 251, 403
Jeffries MR, 556
Jensik RJ, 187
Johnson DD, 423
Jolly PC, 34
Jones EJ, 642 (L)
Jones M, 112, 747
Jones RN, 264, 382, 389, 865
Josa M, 338

K

Kalousek D, 459
Kamau P, 171, 179 (D)
Kan J, 227
Kaplitt MJ, 641
Karp RB, 142 (L), 602, 669
Katz NM, 528, 669
Kausel HW, 485
Kawashima Y, 762, 835
Keane JF, 334
Keith FM, 396
Kelley JR, 44
Kelminson L, 171
Kidd BSL, 227
King RD, 419
Kirklin JW, 528, 602, 669
Kitamura H, 835
Kittle CF, 187, 251
Kobayashi A, 364
Kotake Y, 835
Kotze H, 880
Kouchoukos NT, 142 (L), 602
Kramer JR, 675
Krebber HJ, 124
Kulangara RJ, 127
Kurth DM, 370
Kyoku I, 364

L

Laas J, 288
Lack EE, 741
Lacro RV, 498
Laks H, 297, 316 (L), 440
Lammi-Keefe CJ, 370
Lauer RM, 470, 636
Laughlin L, 309
Lee ME, 141 (L)
Lemole GM, 667 (D)
Lemons JE, 528
Lenox CC, 887
Leonard JJ, 493
Leonardi HK, 50, 56 (D)
Levine F, 274
Levinsky L, 131
Levitsky S, 317 (L), 805 (L)
Li W, 34, 43 (D)
Lichtenthal PR, 69
Liddle HV, 1
Likoff M, 519
Lillehei CW, 643 (L)
Lillehei RC, 370
Lindesmith GG, 231 (D)
Lininger L, 485
Lipton M, 61, 137
Lockhart C, 171
Loeb H, 800
Loop FD, 675
Lorell BH, 793
Lötter MG, 880
Love JW, 142 (L)
Lozner JS, 57, 60 (D)
Ludbrook PA, 758
Luisi VS, 316 (L)
Lundell DC, 297
Lytle BW, 675

M

Macartney FJ, 112
McCormick JR, 317 (L), 727
MacDonald AC, 846
McDonald GR, 180, 186 (D)
McFaul RC, 334
McGee MG, 718
McGoon DC, 317 (L), 591, 641 (L), 649 (C), 805 (L)
MacGregor DC, 851
McIlduff JB, 485
McKay R, 112
McKneally MF, 485, 492 (D)
McKnight RC, 758
McKusick VA, 180
McNamara JJ, 408, 498
Macoviak JA, 519
Maeda M, 835
Magilligan DJ Jr, 279
Mansfield PB, 358
Mark JBD, 553
Marvin WJ Jr, 470, 636
Massoud H, 659
Matisonn RE, 569
Matloff JM, 202, 210 (D)
Matsuda H, 762
Matthew GR, 251
Mattingly WT Jr, 738
Maver C, 485
Mavroudis C, 137
Messer JV, 502
Meus P, 288
Meyer BW, 178 (D)
Meyer J, 880
Michaelis LL, 69
Milano A, 934
Miles V, 171
Miller DC, 21, 29 (D), 67 (D), 143 (L)
Miller DW Jr, 33 (D), 217 (D), 423
Mills NL, 400
Milo S, 787
Minnaar PC, 880
Miyagishima RT, 626
Miyamoto K, 762
Mohr R, 840, 897
Monden Y, 835
Montefusco CM, 546
Montesano RM, 686
Montoya A, 378
Moore HV, 127
Moores WY, 33 (D), 155, 162 (D), 163, 170 (D), 225 (D)
Moran JM, 69, 428
Moreno-Cabral RJ, 21
Moreno-Granado F, 803 (L)
Mori T, 762
Mulet J, 428
Munro AI, 626
Muraoka R, 364
Murzi B, 316 (L)
Muster AJ, 906

N

Nacht R, 641
Najafi H, 315 (C), 403, 802 (L)
Nakahara K, 835
Nakano H, 364
Neal JF, 691
Nelson RJ, 216 (D)
Nelson RM, 225 (D)
Nemickas R, 428
Nicoloff DM, 370
Ninomiya J, 851
Nomoto S, 364
Noonan J, 588
Nordlicht SM, 758
Norman JC, 718
Norwood WI, 239
Nottin R, 659
Novitsky D, 433
Nowicki ER, 334

O

Oakley GD, 860
O'Brien K, 873
Ochsner JL, 400
O'Grady WP, 493
Older TM, 485
Olsen CO, 264, 382, 389, 865
O'Neill MJ Jr, 450, 686
O'Neill TK, 686
Opie JC, 459
O'Reilly RR, 57
Overton JB, 141 (L)

Oyer PE, 21, 797
Ozalins A, 370

P

Pacifico AD, 602
Pae WE Jr, 921
Panizzon G, 934
Pannizzo F, 713
Pappas G, 171
Parr GVS, 450
Paul MH, 906
Pavie A, 309
Pearson FG, 813
Pellom GL, 865
Penido JRF, 178 (D)
Perry BL, 580
Peters RM, 192 (D), 194
Pharr WF, 187
Pick R, 288
Pierce WS, 323, 921
Pieters H, 880
Pifarré R, 378, 800
Pohlner P, 120
Poirier VL, 718
Pollard WM, 943
Pollock JC, 326
Poole JL, 781
Pressler V, 408
Prophet GA, 921
Puga FJ, 591
Pyeritz RE, 180

Q

Quero-Jiménez M, 803 (L)

R

Rainer WG, 185 (D), 209 (D), 818
Rao PS, 127
Rashkind WJ, 519
Rastan H, 106
Rea HH, 825
Reichek N, 519
Reitz BA, 21, 212, 217 (D), 797
Relland J, 659
Replogle RL, 288
Rice PL, 800
Richards KU, 546
Richardson JV, 232
Riddle JM, 279
Ring WS, 347
Roberts AJ, 69
Roberts WC, 747
Robertson JM, 507
Roe BB, 19 (D), 816 (D)
Roland JM, 227
Rose AG, 621
Rubin R, 641 (L)
Ruf W, 408

S

Sade RM, 143 (L), 928
Sadler TR Jr, 818
Saito A, 364
Salem G, 787
Salerno TA, 135, 396, 948 (L)
Salzman E, 274
Sanders JH, 69
Sapsford RN, 860
Satyanarayana T, 516
Sawyer PN, 641
Schaff HV, 180
Schatzlein MH, 419
Schoen FJ, 100
Schoevaerdts JC, 302
Schuchmann GF, 943
Sealy WC, 698, 707
Seamans L, 274
Selinger SL, 493
Serry C, 403
Shackford SR, 194, 200 (D)
Shahian DM, 251, 802 (L)
Shem-Tov A, 897
Shevland JE, 825
Shragge BW, 455
Shumway NE, 21, 797
Siewers RD, 232
Sink JD, 264, 382, 389, 830, 865
Smith GT, 408, 498
Smolinsky A, 774, 787, 840, 897
Sobel M, 274
Sommerfeldt L, 502
Spielman S, 519
Spies SM, 69
Srinivasan V, 131
Stallone RJ, 822 (D)
Stark J, 112
Stein PD, 279
Stellin GJ, 239
Stemmer EA, 30
Stephenson LW, 519
Stevens JE, 621
Stinson EB, 21, 212, 797
St. John Sutton M, 519
Storz WJ, 57
Straehley C, 66 (D)
Stroncek DF, 370
Strong WB, 127
Sturm JT, 245, 804 (L)
Subramanian S, 131
Suehiro A, 408
Sullivan HJ, 378
Summers D, 641
Sustaita H, 202
Szarnicki R, 124

T

Tabak C, 30, 33 (D)
Takanashi Y, 288
Takano H, 762
Talbot S, 860
Tamarkin M, 774
Taylor G, 459
Taylor PC, 675
Thandroyen FT, 569
Thiene G, 934, 947 (L)
Thomas AN, 199 (D)
Titus JL, 100
Todd EP, 738
Todd TRJ, 813
Toews W, 171
Tremouroux J, 302
Tri TB, 615
Trinkle JK, 11, 44, 464
Trusler GA, 326
Turley K, 61, 68 (D), 231
Turndorf H, 516
Turner SA, 718
Tutassura H, 626
Tuttle KL, 564
Tyras DH, 141 (L)

U

Ueda K, 364
Ullyot DJ, 61
Utley JR, 155, 163, 588

V

Valente M, 934
vanHeeckeren DW, 245
van Reenen OR, 880
Veith FJ, 546
Villemot JP, 309
Vinten-Johansen J, 507
Virgilio RW, 194
Visner MS, 347
Vlietstra RE, 85
Vouché P, 659

W

Wack J, 124
Wakabayashi A, 822 (D)
Waldhausen JA, 323, 686, 921
Wallace RB, 85
Watanabe Y, 732
Watson DC, 212
Way LW, 137
Wechsler AS, 264, 382, 389, 865
Weidman WH, 338
Weisel RD, 376 (C)
Weiskopf RB, 155, 163
Werner JC, 323
Wessel HU, 906
White RL, 69
Whitman V, 323
Wilkinson CJ, 69
Williams WG, 326
Wilson GJ, 851
Wilson JM, 61
Winn RE, 564
Wolf PD, 686
Wolfson S, 297
Wolpowitz A, 433
Wortham DC, 615

Y

Yabek SM, 691
Yazdanyar A, 106
Yee M, 498
Yokota M, 364
Young N, 823 (D)
Young WG Jr, 830

Z

Zajtchuk R, 632
Zippe C, 187
Zuberbuhler JR, 232, 887

Subject index*

A

Abdominal left ventricular assist systems, electrically actuated, for long-term use, development and evaluation of (Fuqua et al.), 718

Accessory atrioventricular connections, Stanley Kent and (Anderson and Becker), 649 (edit.)

pathways, free wall, left, of atrioventricular conduction of Kent type, surgical treatment of (Sealy and Gallagher), 698

multiple, of atrioventricular conduction, surgical problems with (Sealy and Gallagher), 707

Activation, complement, and neutropenia occurring during cardiopulmonary bypass (Hammerschmidt et al.), 370

Acute evolving myocardial infarction, immediate coronary artery bypass for (Berg et al.), 493

traumatic aortic transection, incremental risk factors for spinal cord injury following operation for (Katz et al.), 669

Air embolism during mitral valve replacement (Sturm), 804 (letter); Replies (Levitsky), 805, and (McGoon), 805

American Association for Thoracic Surgery: Announcement of 1981 Annual Meeting, 145, 319, 481, 645

1982 Annual Meeting, 806, 950

Graham Traveling Fellowship, 952

Program of 1981 Annual Meeting, 476

Board of Thoracic Surgery: Notice of certifying examination, 148, 322, 484, 648, 809, 954

recertification examination, 148, 322, 484, 648, 809, 954

Amiodarone, intravenous, in treatment of various arrhythmias following cardiac operations (Installe et al.), 302

Anastomosis, direct, of right atrium to pulmonary artery, methods to achieve: modified Fontan procedure (Doty et al.), 470 (curr. tech.)

end-to-end, primary, after circumferential resection of trachea, report of case successfully treated by: primary malignant lymphoma of trachea (Maeda et al.), 835

vascular, primary, in growing pigs: comparison of polypropylene and polyglycolic acid sutures (Pae et al.), 921

Anatomy, surgical, of tetralogy of Fallot (Anderson et al.), 887

Aneurysm, ascending aortic, resection of, and replacement of aortic valve (Kouchoukos and Karp), 142 (letter); Reply (Miller), 143

of descending thoracic aorta: replacement with use of shunt or bypass (Hilgenberg et al.), 818

Aneurysm—Cont'd

repair, ventricular, delayed pulmonary complications of: report of two cases and review of literature (Fudge et al.), 400

Anomalous origin of left coronary artery from pulmonary trunk (Luisi et al.), 316 (letter); Reply (Levitsky), 317; Editor's note (McGoon), 317

Anulus, aortic, small, hemodynamic evaluation of St. Jude Medical valve prosthesis in (Wortham et al.), 615

mitral, small, new technique for double valve replacement in children or adults with: enlargement of mitral valvular ring (Rastan et al.), 106

Aorta and application of Fontan principle, operative repair by creation of double outlet to: single ventricle with aortic outflow obstruction (Doty et al.), 636 (curr. tech.)

ascending, dilatation of, and Marfan syndrome, surgical management of patients with (McDonald et al.), 180

with reimplantation of coronary arteries, complete replacement of: new surgical approach (Cabrol et al.), 309 (curr. tech.)

coarctation of, in infants less than six months of age, surgical repair of: including question of pulmonary artery banding (Kamau et al.), 171

surgical intervention in infants with (Waldhausen et al.), 323 (edit.)

–coronary artery bypass grafting, improvement of left ventricular exercise hemodynamic function after (Vlietstra et al.), 85

bypass, early and late patency of expanded polytetrafluoroethylene vascular grafts in (Sapsford et al.), 860

descending thoracic, aneurysm of: replacement with use of shunt or bypass (Hilgenberg et al.), 818

thoracic, and arch branches simulating neoplasm, lesions of (Shahian et al.), 251

repair of dissection of: evaluation of false lumen utilizing computed tomography (Turley et al.), 61

Aortic aneurysm, ascending, resection of, and replacement of aortic valve (Kouchoukos and Karp), 142 (letter); Reply (Miller), 143

anulus, small, hemodynamic evaluation of St. Jude Medical valve prosthesis in (Wortham et al.), 615

arch, interrupted, in infancy with expanded polytetrafluoroethylene grafts, surgical treatment of: two-year follow-up results (Sturm et al.), 245

atresia with interrupted aortic arch: reparative operation (Norwood and Stellin), 239

*January, pp. 1-154; February, pp. 155-322; March, pp. 323-484; April, pp. 485-648; May, pp. 649-812; June, pp. 813-974.

Aortic—Cont'd
bypass, left ventricular–to–, on infarct size and infarct microcirculation in baboons, effect of (Ruf et al.), 408
dissection, new surgical approach to: flow reversal and thromboexclusion (Carpentier et al.), 659
and mitral valve replacement in children, experience with (Williams et al.), 326
outflow obstruction, single ventricle with: operative repair by creation of double outlet to aorta and application of Fontan principle (Doty et al.), 636 (curr. tech.)
stenosis, valvular, congenital: surgical management and long-term results (Dobell et al.), 916
subcoronary, characteristics of chronic left ventricular hypertrophy induced by. I. Myocardial blood flow and metabolism (Attarian et al.), 382
II. Response to ischemia (Attarian et al.), 389
thrombosis in neonate (McFaul et al.), 334
transection, traumatic, acute, incremental risk factors for spinal cord injury following operation for (Katz et al.), 669
valve prosthesis, dipyridamole-aspirin as thromboembolic prophylaxis in patients with: prospective study with Model 2320 Starr-Edwards prosthesis (Brott et al.), 632
size, predicting: step toward better matching of patient and prosthesis (Babb et al.), 450
for prosthetic valve endocarditis, translocation of (Reitz et al.), 212
replacement of, and resection of ascending aortic aneurysm (Kouchoukos and Karp), 142 (letter); Reply (Miller), 143
Artery(ies). *See also* specific arteries.
banding, pulmonary, including question of: surgical repair of coarctation of aorta in infants less than six months of age (Kamau et al.), 171
bypass. *See* Bypass.
collaterals, systemic–pulmonary, following surgical correction of pulmonary atresia, wire coil embolization of (Szarnicki et al.), 124
conduit operation, right atrium–pulmonary, for tricuspid atresia, experimental evaluation of atrial function in (Matsuda et al.), 762
great, dextro-transposition of, results of Mustard operation for (Arciniegas et al.), 580
reoperations, coronary, 500, late clinical and arteriographic results in (Loop et al.), 675
reperfusion, coronary, on infarct size in swine, effect of (Campbell et al.), 288
shunts, systemic–pulmonary, prosthetic, use of subclavian artery orifice as flow regulator in: modified Blalock-Taussig shunt (de Leval et al.), 112
surgery, coronary, perspectives in (Liddle), 1 (Presidential Address)
Arch, aortic, interrupted, aortic atresia with: reparative operation (Norwood and Stellin), 239
in infancy with expanded polytetrafluoroethylene grafts, surgical treatment of: two-year follow-up results (Sturm et al.), 245
branches simulating neoplasm, lesions of thoracic aorta and (Shahian et al.), 251
Arrest, ischemic, protection of myocardium during: dose-response curves for procaine and lignocaine in cardioplegic solutions (Hearse et al.), 873
Arrhythmias, supraventricular, following coronary artery bypass, immediate postoperative digitalization in prophylaxis of (Csicsko et al.), 419
Arrhythmias—Cont'd
various, following cardiac operations, intravenous amiodarone in treatment of (Installe et al.), 302
Arterial stenosis, coronary, critical, significance of: regional and transmural myocardial temperature distribution in cold chemical cardioplegia (Heineman et al.), 851
Arteriographic and clinical results, late, in 500 coronary artery reoperations (Loop et al.), 675
Arteriovenous shunting of blood, intramyocardial, with nonpulsatile perfusion (Addetia and Callaghan), 219
Aspirin-dipyridamole as thromboembolic prophylaxis in patients with aortic valve prosthesis: prospective study with Model 2320 Starr-Edwards prosthesis (Brott et al.), 632
Assist device, left ventricular, after successful separation from assisted circulation, infection in remnant of (McCormick et al.), 727
systems, left ventricular, abdominal, electrically actuated, for long-term use, development and evaluation of (Fuqua et al.), 718
Atresia, aortic, with interrupted aortic arch: reparative operation (Norwood and Stellin), 239
esophageal, and tracheoesophageal fistula: review of thirteen years' experience (Hicks and Mansfield, 358
pulmonary, wire coil embolization of systemic–pulmonary artery collaterals following surgical correction of (Szarnicki et al.), 124
tricuspid, experimental evaluation of atrial function in right atrium–pulmonary artery conduit operation for (Matsuda et al.), 762
valve, atrioventricular, left, and interatrial obstruction, syndrome of single ventricle without pulmonary stenosis but with: palliative management with simultaneous atrial septostomy and pulmonary artery banding (Rao et al.), 127
Atrial function in right atrium–pulmonary artery conduit operation for tricuspid atresia, experimental evaluation of (Matsuda et al.), 762
septum, new, reconstruction of, in Senning operation: new technique (Levinsky et al.), 131
Atrioventricular canal, complete, results of total correction of tetralogy of Fallot with (Arciniegas et al.), 768
conduction of Kent type, surgical treatment of left free wall accessory pathways of (Sealy and Gallagher), 698
surgical problems with multiple accessory pathways of (Sealy and Gallagher), 707
connections, accessory, Stanley Kent and (Anderson and Becker), 649 (edit.)
valve(s) atresia, left, and interatrial obstruction, syndrome of single ventricle without pulmonary stenosis but with: palliative management with simultaneous atrial septostomy and pulmonary artery banding (Rao et al.), 127
suture techniques for: experimental study (Katz et al.), 528
Atrium, left, subdivided (cor triatriatum) (Richardson et al.), 232
right, and left ventricle, successful repair of simultaneous rupture of: blunt traumatic rupture of heart (Hendel and Grant), 574
to pulmonary artery, methods to achieve direct anastomosis of: modified Fontan procedure (Doty et al.), 470 (curr. tech.)

B

Baboons, effect of left ventricular–to–aortic bypass on infarct size and infarct microcirculation in (Ruf et al.), 408

Balloon catheters, intra-aortic, modified wire-guided and standard, randomized comparison of (Lundell et al.), 297
pumping, phase shift, intra-aortic, utilizing transaxillary approach (Rubin et al.), 641
transaxillary approach for (Rubin), 641 (letter); Response (McGoon), 641
Banding, pulmonary artery, and atrial septostomy, simultaneous, palliative management with: syndrome of single ventricle without pulmonary stenosis but with interatrial obstruction (Rao et al.), 127
including question of: surgical repair of coarctation of aorta in infants less than six months of age (Kamau et al.), 171
BCG, intrapleural, in lung cancer, four-year follow-up on Albany experience with (McKneally et al.), 485
Beall mitral valve prostheses, chest film diagnosis of disc embolization in patients with (Gutierrez et al.), 758
Bedside evaluation of postoperative sinus node function in children (Yabek et al.), 691
Bioprosthesis(es), Hancock, and thrombosis (Cella and Girolami), 947 (letter); Reply (Thiene et al.), 947
porcine, Hancock, pathological study of infective endocarditis on (Bortolotti et al.), 934
valvular, pericardial, Ionescu-Shiley, unimplanted, structure of bovine parietal pericardium and of (Ishihara et al.), 747
Bioprosthetic valves, porcine, degenerated, four to seven years following implantation, surface morphology of (Riddle et al.), 279
Biopsy needle, implantation of cancer cells by (Austin), 318 (letter); Reply (Baker), 318
Björk-Shiley valve: intermediate-term follow-up (Karp et al.), 602
Blalock-Taussig shunt, modified: use of subclavian artery orifice as flow regulator in prosthetic systemic–pulmonary artery shunts (de Leval et al.), 112
Blood flow and metabolism, myocardial, I. Characteristics of chronic left ventricular hypertrophy induced by subcoronary valvular aortic stenosis (Attarian et al.), 382
pulmonary, after right ventricular bypass, augmentation of (Sade and Dearing), 928
intramyocardial arteriovenous shunting of, with nonpulsatile perfusion (Addetia and Callaghan), 219
Blunt traumatic rupture of heart: successful repair of simultaneous rupture of right atrium and left ventricle (Hendel and Grant), 574
Brain morphology following cardiac operations as reflected by computed tomographic scans of brain, subclinical changes in (Muraoka et al.), 364
Bronchial carcinoma, accuracy of computed tomographic scanning in assessment of mediastinum in (Rea et al.), 825
stump suture granulomas, bronchoscopic diagnosis and treatment of (Baumgartner and Mark), 553
Bronchoscopic diagnosis and treatment of bronchial stump suture granulomas (Baumgartner and Mark), 553
Bubble versus membrane oxygenator, question of: erythrocyte survival following extracorporeal circulation (Tabak et al.), 30
Bullous emphysema by median sternotomy, simultaneous bilateral operations for (Iwa et al.), 732
Bypass, aorta-coronary, early and late patency of expanded polytetrafluoroethylene vascular grafts in (Sapsford et al.), 860
cardiopulmonary, complement activation and neutropenia occurring during (Hammerschmidt et al.), 370
control of patent ductus arteriosus during (Sade), 143 (letter)
Bypass, cardiopulmonary—Cont'd
and hypothermia in children, electroencephalographic changes with (Hicks and Poole), 781
kinetics and sites of sequestration of indium 111–labeled human platelets during (Hope et al.), 880
management of endobronchial hemorrhage during (Rice et al.), 800
of postoperative heparin rebound following (Pifarré et al.), 378
in presence of uncorrected coarctation (Utley et al.), 588
preservation of platelet function and number by prostacyclin during (Coppe et al.), 274
using stroma-free hemoglobin solution, extending limits of hemodilution on (Moores et al.), 155
total, effects of halothane and morphine sulfate on myocardial compliance following (Moores et al.), 163
coronary artery, immediate, for acute evolving myocardial infarction (Berg et al.), 493
postoperative digitalization in prophylaxis of supraventricular arrhythmias following (Csicsko et al.), 419
prevention of supraventricular tachyarrhythmia with low-dose propranolol after (Mohr et al.), 840
grafting, aorta–coronary artery, improvement of left ventricular exercise hemodynamic function after (Vlietstra et al.), 85
grafts, coronary artery, sequential, rationale for use of (O'Neill et al.), 686
coronary artery, serial assessment of left ventricular performance following: early postoperative results with myocardial protection afforded by multidose hypothermic potassium crystalloid cardioplegia (Roberts et al.), 69
in exercise-induced ventricular tachycardia, efficacy of (Codini et al.), 502
five-year follow-up after: giant coronary pseudoaneurysm (Chun et al.), 92
left ventricular–to–aortic, on infarct size and infarct microcirculation in baboons, effect of (Ruf et al.), 408
right ventricular, augmentation of pulmonary blood flow after (Sade and Dearing), 928
or shunt, replacement with use of: aneurysm of descending thoracic aorta (Hilgenberg et al.), 818
surgery, coronary artery, in 1980, practice of (Miller et al.), 423

C

Calcification of glutaraldehyde-preserved porcine xenografts in young patients (Curcio et al.), 621
Canal, atrioventricular, complete, results of total correction of tetralogy of Fallot with (Arciniegas et al.), 768
Cancer cells by biopsy needle, implantation of (Austin), 318 (letter); Reply (Baker), 318
lung, four-year follow-up on Albany experience with intrapleural BCG in (McKneally et al.), 485
Cannulas, venous, various, objective evaluation of efficacy of (Arom et al.), 464
Carcinoid heart disease, porcine heterograft valve replacement in (Schoen et al.), 100
Carcinoma, bronchial, accuracy of computed tomographic scanning in assessment of mediastinum in (Rea et al.), 825
of esophagus: aggressive one-stage palliative approach (Hoffmann et al.), 44

Carcinoma—Cont'd
lung, undifferentiated, small cell, unpredictable course of (Li et al.), 34
Cardiac operation(s), emergency, in neonates, prostaglandin E_1 as adjunct to (Donahoo et al.), 227
intravenous amiodarone in treatment of various arrhythmias following (Installe et al.), 302
isolated chylopericardium after (Pollard et al.), 943
as reflected by computed tomographic scans of brain, subclinical changes in brain morphology following (Muraoka et al.), 364
performance in absence of pulmonic valve, pericardial tamponade and its effect on (Milo et al.), 787
shunts, penetrating thoracic trauma producing (Thandroyen and Matisonn), 569
transplantation, heterotopic, present status of (Barnard et al.), 433
valves, heterograft, porcine, embolic complications of (Jamieson et al.), 626
Cardiocutaneous fistulas, management of (McCormick et al.), 317 (letter); Reply (Flemma), 318
Cardioplegia, chemical, cold, regional and transmural myocardial temperature distribution in: significance of critical coronary arterial stenosis (Heineman et al.), 851
crystalloid, potassium, hypothermic, multidose, early postoperative results with myocardial protection afforded by: serial assessment of left ventricular performance following coronary artery bypass grafting (Roberts et al.), 69
potassium, myocardial glycogen and (Barner), 948 (letter); Reply (Chiong and Salerno), 948
urine and serum potassium levels after (Azar et al.), 516
Cardioplegic delivery with coronary stenoses, critical importance of ensuring (Becker et al.), 507
myocardial protection, does lower systemic temperature enhance (Grover et al.), 11
solutions, dose-response curves for procaine and lignocaine in: protection of myocardium during ischemic arrest (Hearse et al.), 873
Cardiopulmonary bypass. *See* Bypass.
Catheter(s), balloon, intra-aortic, modified wire-guided and standard, randomized comparison of (Lundell et al.), 297
Swan-Ganz, via left innominate vein, intraoperative placement of (Shahian et al.), 802 (letter)
Cavitary, intra-, liposarcoma of right ventricle, diagnosis and operative treatment of (Mavroudis et al.), 137
Cephalothin, prophylactic, for major, elective, general thoracic operations, prospective, randomized, double-blind study using (Ilves et al.), 813
Cervical venous hum, symptomatic, surgical treatment of (Brennan and Salerno, 135
Chest film diagnosis of disc embolization in patients with Beall mitral valve prostheses (Gutierrez et al.), 758
injury, flail, selective use of ventilator therapy in (Shackford et al.), 194
surgical approach to extensive suppurative thrombophlebitis of central veins of (Winn et al.), 564
Children or adults with small mitral anulus, new technique for double valve replacement in: enlargement of mitral valvular ring (Rastan et al.), 106
bedside evaluation of postoperative sinus node function in (Yabek et al.), 691
electroencephalographic changes with hypothermia and cardiopulmonary bypass in (Hicks and Poole), 781

Children—Cont'd
experience with aortic and mitral valve replacement in (Williams et al.), 326
See Calcification of glutaraldehyde-preserved porcine xenografts in young patients (Curcio et al.), 621
Choriocarcinoma, gestational, pulmonary resection in management of metastases from (Sink et al.), 830
Chronic cyanosis and right ventricular pressure overload, left ventricular dynamic geometry and diastolic mechanics in model of (Visner et al.), 347
left ventricular hypertrophy induced by subcoronary valvular aortic stenosis, characteristics of. I. Myocardial blood flow and metabolism (Attarian et al.), 382
II. Response to ischemia (Attarian et al.), 389
Chylopericardium, isolated, after cardiac operations (Pollard et al.), 943
Circulation, assisted, infection in remnant of left ventricular assist device after successful separation from (McCormick et al.), 727
extracorporeal, erythrocyte survival following: question of membrane versus bubble oxygenator (Tabak et al.), 30
fetal, persistent, following repair of congenital diaphragmatic hernia, successful treatment of: extracorporeal membrane oxygenation (Hardesty et al.), 556
Circumflex coronary artery, left, dominant, supravalvular mitral ridge containing (Huhta et al.), 577
Clarification of references in recent report (Buckberg), 316 (letter)
Coarctation of aorta in infants less than six months of age, surgical repair of: including question of pulmonary artery banding (Kamau et al.), 171
surgical intervention in infants with (Waldhausen et al.), 323 (edit.)
uncorrected, cardiopulmonary bypass in presence of (Utley et al.), 588
Complement activation and neutropenia occurring during cardiopulmonary bypass (Hammerschmidt et al.), 370
Compliance changes and edema during 24 hours of preservation of dog heart, importance of (Bethencourt and Laks), 440
myocardial, following total cardiopulmonary bypass, effects of halothane and morphine sulfate on (Moores et al.), 163
Computed tomographic scanning in assessment of mediastinum in bronchial carcinoma, accuracy of (Rea et al.), 825
scans of brain, subclinical changes in brain morphology following cardiac operations as reflected by (Muraoka et al.), 364
tomography, evaluation of false lumen utilizing: repair of dissection of thoracic aorta (Turley et al.), 61
Conduction, atrioventricular, of Kent type, surgical treatment of left free wall accessory pathways of (Sealy and Gallagher), 698
surgical problems with multiple accessory pathways of (Sealy and Gallagher), 707
Conduit(s), extracardiac, porcine-valved, right-sided, obstructed, clinicopathological correlates of (Agarwal et al.), 591
operation, right atrium–pulmonary artery, for tricuspid atresia, experimental evaluation of atrial function in (Matsuda et al.), 762
Congenital diaphragmatic hernia, successful treatment of persistent fetal circulation following repair of: extracorporeal membrane oxygenation (Hardesty et al.), 556
ostial membrane of left main coronary artery (Josa et al.), 338
tracheal stenosis in infant, surgical repair of (Mattingly et al.), 738

Congenital—Cont'd
valvular aortic stenosis: surgical management and long-term results (Dobell et al.), 916
Connections, atrioventricular, accessory, Stanley Kent and (Anderson and Becker), 649 (edit.)
Constrictive pericarditis: case requiring pericardiectomy following Dressler's postmyocardial infarction syndrome (Goldhaber et al.), 793
Cor triatriatum (subdivided left atrium) (Richardson et al.), 232
Cord injury, spinal, following operation for acute traumatic aortic transection, incremental risk factors for (Katz et al.), 669
Coronary arterial stenosis, critical, significance of: regional and transmural myocardial temperature distribution in cold chemical cardioplegia (Heineman et al.), 851
artery(ies) bypass grafts, sequential, rationale for use of (O'Neill et al.), 686
grafting, aorta–, improvement of left ventricular exercise hemodynamic function after (Vlietstra et al.), 85
serial assessment of left ventricular performance following: early postoperative results with myocardial protection afforded by multidose hypothermic potassium crystalloid cardioplegia (Roberts et al.), 69
immediate, for acute evolving myocardial infarction (Berg et al.), 493
postoperative digitalization in prophylaxis of supraventricular arrhythmias following (Csicsko et al.), 419
surgery in 1980, practice of (Miller et al.), 423
complete replacement of ascending aorta with reimplantation of: new surgical approach (Cabrol et al.), 309 (curr. tech.)
left circumflex, dominant, supravalvular mitral ridge containing (Huhta et al.), 577
main, congenital ostial membrane of (Josa et al.), 338
from pulmonary trunk, anomalous origin of (Luisi et al.), 316 (letter); Reply (Levitsky), 317; Editor's note (McGoon), 317
reoperations, 500, late clinical and arteriographic results in (Loop et al.), 675
reperfusion on infarct size in swine, effect of (Campbell et al.), 288
surgery, perspectives in (Liddle), 1 (Presidential Address)
bypass, aorta-, early and late patency of expanded polytetrafluoroethylene vascular grafts in (Sapsford et al.), 860
grafting in exercise-induced ventricular tachycardia, efficacy of (Codini et al.), 502
prevention of supraventricular tachyarrhythmia with low-dose propranolol after (Mohr et al.), 840
disease, single-vessel, operative therapy of (Lee), 141 (letter); Reply (Tyras), 141
endarterectomy, adjunctive, long-term clinical assessment of efficacy of (Miller et al.), 21
operation, hypertension after: Can it be prevented by pulsatile perfusion? (Salerno et al.), 396
pseudoaneurysm, giant: five-year follow-up after bypass grafting (Chun et al.), 92
reperfusion and hemorrhagic infarction (McNamara et al.), 498
revascularization, leg wound complications associated with (DeLaria et al.), 403
stenoses, critical importance of ensuring cardioplegic delivery with (Becker et al.), 507
and vertebral arteries, simultaneous revascularization of (Moran et al.), 428
Correction, total, of tetralogy of Fallot with complete atrioventricular canal, results of (Arciniegas et al.), 768
Correspondence
Air embolism during mitral valve replacement (Sturm), 804
Reply (Levitsky), 805
Reply (McGoon), 805
Anomalous origin of left coronary artery from pulmonary trunk (Luisi et al.), 316
Reply (Levitsky), 317
Editor's note (McGoon), 317
Clarification of references in recent report (Buckberg), 316
Comparison of saphenous vein and internal mammary artery grafts (Overton), 141, and (Love), 142
Reply (Cohn), 142
Control of patent ductus arteriosus during cardiopulmonary bypass (Sade), 143
Cosmetically acceptable incision for median sternotomy (Laks), 316
Hancock bioprosthesis and thrombosis (Cella and Girolami), 947
Reply (Thiene et al.), 947
Implantation of cancer cells by biopsy needle (Austin), 318
Reply (Baker), 318
Intraoperative placement of Swan-Ganz catheter via left innominate vein (Shahian et al.), 802
Management of cardiocutaneous fistulas (McCormick et al.), 317
Reply (Flemma), 318
Myocardial glycogen and potassium cardioplegia (Barner), 948
Reply (Chiong and Salerno), 948
Operative therapy of single-vessel coronary disease (Lee), 141
Reply (Tyras), 141
Resection of ascending aortic aneurysm and replacement of aortic valve (Kouchoukos and Karp), 142
Reply (Miller), 143
St. Jude Medical prosthesis (Jones), 642
Reply (D'Angelo), 643
Reply (Lillehei), 643
Transaxillary approach for balloon pumping (Rubin), 641
Response (McGoon), 641
Transposition and left ventricular wall thickness (Huhta et al.), 803
Reply (Baño-Rodrigo et al.), 803
Cosmetically acceptable incision for median sternotomy (Laks), 316 (letter)
Crystalloid cardioplegia, potassium, hypothermic, multidose, early postoperative results with myocardial protection afforded by: serial assessment of left ventricular performance following coronary artery bypass grafting (Roberts et al.), 69
Cyanosis, chronic, and right ventricular pressure overload, left ventricular dynamic geometry and diastolic mechanics in model of (Visner et al.), 347

D

Deterioration, metabolic, during global ischemia as function of time in intact normal dog heart (Jones et al.), 264
Device, assist, left ventricular, after successful separation from assisted circulation, infection in remnant of (McCormick et al.), 727
Dextro-transposition of great arteries, results of Mustard operation for (Arciniegas et al.), 580
Diaphragmatic hernia, congenital, successful treatment of persistent fetal circulation following repair of: extracorporeal membrane oxygenation (Hardesty et al.), 556
right-sided, unusual presentation and systemic vascular communication in association with: extralobar pulmonary sequestration (Canty), 96

Diaphragmatic—Cont'd
skeletal muscle, replacement of ventricular myocardium with: short-term studies (Macoviak et al.), 519
Diastolic mechanics and dynamic geometry, left ventricular, in model of chronic cyanosis and right ventricular pressure overload (Visner et al.), 347
Digitalization, postoperative, immediate, in prophylaxis of supraventricular arrhythmias following coronary artery bypass (Csicsko et al.), 419
Dilatation of ascending aorta and Marfan syndrome, surgical management of patients with (McDonald et al.), 180
Dipyridamole-aspirin as thromboembolic prophylaxis in patients with aortic valve prosthesis: prospective study with Model 2320 Starr-Edwards prosthesis (Brott et al.), 632
Disc embolization in patients with Beall mitral valve prostheses, chest film diagnosis of (Gutierrez et al.), 758
Disease, coronary, single-vessel, operative therapy of (Lee), 141 (letter); Reply (Tyras), 141
heart, carcinoid, porcine heterograft valve replacement in (Schoen et al.), 100
Dissection, aortic, new surgical approach to: flow reversal and thromboexclusion (Carpentier et al.), 659
of thoracic aorta, repair of: evaluation of false lumen utilizing computed tomography (Turley et al.), 61
Dog(s), growing and adult, study of autologous pericardial patch-grafts in right ventricular outflow tracts in (Hjelms et al.), 120
heart, importance of edema and compliance changes during 24 hours of preservation of (Bethencourt and Laks), 440
normal, intact, metabolic deterioration during global ischemia as function of time in (Jones et al.), 264
intrafamilial lung xenografts from fox to (Veith et al.), 546
Dressler's postmyocardial infarction syndrome, case requiring pericardiectomy following: constrictive pericarditis (Goldhaber et al.), 793
Ductus arteriosus, patent, during cardiopulmonary bypass, control of (Sade), 143 (letter)
Dynamic geometry and diastolic mechanics, left ventricular, in model of chronic cyanosis and right ventricular pressure overload (Visner et al.), 347
Dysfunction, left ventricular, severe, improved long-term survival following myocardial revascularization in patients with (Coles et al.), 846

E

Edema and compliance changes during 24 hours of preservation of dog heart, importance of (Bethencourt and Laks), 440
Editorial: Stanley Kent and accessory atrioventricular connections (Anderson and Becker), 649
Surgical intervention in infants with coarctation of aorta (Waldhausen et al.), 323
Efficacy of various venous cannulas, objective evaluation of (Arom et al.), 464
Elderly: *See* Thoracotomy in patients over age seventy years: ten-year experience (Breyer et al.), 187
Electrically actuated abdominal left ventricular assist systems for long-term use, development and evaluation of (Fuqua et al.), 718
Electroencephalographic changes with hypothermia and cardiopulmonary bypass in children (Hicks and Poole), 781
Embolic complications of porcine heterograft cardiac valves (Jamieson et al.), 626
Embolism, air, during mitral valve replacement (Sturm), 804 (letter); Replies (Levitsky), 805, and (McGoon), 805
Embolization, disc, in patients with Beall mitral valve prostheses, chest film diagnosis of (Gutierrez et al.), 758
wire coil, of systemic–pulmonary artery collaterals following surgical correction of pulmonary atresia (Szarnicki et al.), 124
Emphysema, bullous, by median sternotomy, simultaneous bilateral operations for (Iwa et al.), 732
Endarterectomy, coronary, adjunctive, long-term clinical assessment of efficacy of (Miller et al.), 21
Endobronchial hemorrhage during cardiopulmonary bypass, management of (Rice et al.), 800
Endocarditis, infective, on Hancock porcine bioprostheses, pathological study of (Bortolotti et al.), 934
prosthetic valve, translocation of aortic valve for (Reitz et al.), 212
Enlargement, massive, thymic hyperplasia with: report of two cases with review of diagnostic criteria (Lack), 741
of mitral valvular ring: new technique for double valve replacement in children or adults with small mitral anulus (Rastan et al.), 106
Erratum, 308
Erythrocyte survival following extracorporeal circulation: question of membrane versus bubble oxygenator (Tabak et al.), 30
Esophageal atresia and tracheoesophageal fistula: review of thirteen years' experience (Hicks and Mansfield), 358
Esophagus, carcinoma of: aggressive one-stage palliative approach (Hoffmann et al.), 44
Exercise hemodynamic function, left ventricular, after aorta–coronary artery bypass grafting, improvement of (Vlietstra et al.), 85
-induced ventricular tachycardia, efficacy of coronary bypass grafting in (Codini et al.), 502
Extracardiac conduits, porcine-valved, right-sided, obstructed, clinicopathological correlates of (Agarwal et al.), 591
Extracorporeal circulation, erythrocyte survival following: question of membrane versus bubble oxygenator (Tabak et al.), 30
membrane oxygenation: successful treatment of persistent fetal circulation following repair of congenital diaphragmatic hernia (Hardesty et al.), 556
Extralobar pulmonary sequestration: unusual presentation and systemic vascular communication in association with right-sided diaphragmatic hernia (Canty), 96

F

Fallot, tetralogy of, with absent pulmonary valve: should valve insertion be part of intracardiac repair (Ilbawi et al.), 906
with complete atrioventricular canal, results of total correction of (Arciniegas et al.), 768
drop of residual right ventricular pressure 24 hours after conservative infundibulectomy in repair of (Goor et al.), 897
fractional gradients along outflow tract of right ventricle in: anatomic and hemodynamic correlative study (Smolinsky et al.), 774
surgical anatomy of (Anderson et al.), 887
Fetal circulation, persistent, following repair of congenital diaphragmatic hernia, successful treatment of: extracorporeal membrane oxygenation (Hardesty et al.), 556
Fistula(s), cardiocutaneous, management of (McCormick et al.), 317 (letter); Reply (Flemma), 318
tracheoesophageal, and esophageal atresia: review of thirteen years' experience (Hicks and Mansfield), 358

Flail chest injury, selective use of ventilator therapy in (Shackford et al.), 194
Flow, blood, and metabolism, myocardial, I. Characteristics of chronic left ventricular hypertrophy induced by subcoronary valvular aortic stenosis (Attarian et al.), 382
pulmonary, after right ventricular bypass, augmentation of (Sade and Dearing), 928
reversal and thromboexclusion: new surgical approach to aortic dissection (Carpentier et al.), 659
Fontan principle, operative repair by creation of double outlet to aorta and application of: single ventricle with aortic outflow obstruction (Doty et al.), 636 (curr. tech.)
procedure, modified: methods to achieve direct anastomosis of right atrium to pulmonary artery (Doty et al.), 470 (curr. tech.)
Fox to dog, intrafamilial lung xenografts from (Veith et al.), 546
Fractional gradients along outflow tract of right ventricle in tetralogy of Fallot: anatomic and hemodynamic correlative study (Smolinsky et al.), 774
Free wall accessory pathways, left, of atrioventricular conduction of Kent type, surgical treatment of (Sealy and Gallagher), 698
Function, atrial, in right atrium–pulmonary artery conduit operation for tricuspid atresia, experimental evaluation of (Matsuda et al.), 762
sinus node, postoperative, in children, bedside evaluation of (Yabek et al.), 691
Fundoplication, Nissen, reoperation for complications of (Leonardi et al.), 50

G

Gastric stapling, transthoracic: effective new surgical approach to morbid obesity (Lozner et al.), 57
Gestational choriocarcinoma, pulmonary resection in management of metastases from (Sink et al.), 830
Glutaraldehyde-preserved porcine xenografts in young patients, calcification of (Curcio et al.), 621
Glycogen, myocardial, and potassium cardioplegia (Barner), 948 (letter); Reply (Chiong and Salerno), 948
Gradients, fractional, along outflow tract of right ventricle in tetralogy of Fallot: anatomic and hemodynamic correlative study (Smolinsky et al.), 774
Grafts, bypass, coronary artery, sequential, rationale for use of (O'Neill et al.), 686
expanded polytetrafluoroethylene, surgical treatment of interrupted aortic arch in infancy with: two-year follow-up results (Sturm et al.), 245
saphenous vein and internal mammary artery, comparison of (Overton), 141, and (Love), 142 (letters); Reply (Cohn), 142
vascular, expanded polytetrafluoroethylene, in aorta-coronary bypass, early and late patency of (Sapsford et al.), 860
Grafting, bypass, aorta–coronary artery, improvement of left ventricular exercise hemodynamic function after (Vlietstra et al.), 85
coronary artery, serial assessment of left ventricular performance following: early postoperative results with myocardial protection afforded by multidose hypothermic potassium crystalloid cardioplegia (Roberts et al.), 69
in exercise-induced ventricular tachycardia, efficacy of (Codini et al.), 502
Grafting, bypass—Cont'd
five-year follow-up after: giant coronary pseudoaneurysm (Chun et al.), 92
Granulomas, suture, bronchial stump, bronchoscopic diagnosis and treatment of (Baumgartner and Mark), 553

H

Halothane and morphine sulfate on myocardial compliance following total cardiopulmonary bypass, effects of (Moores et al.), 163
Hancock bioprosthesis and thrombosis (Cella and Girolami), 947 (letter); Reply (Thiene et al.), 947
porcine bioprostheses, pathological study of infective endocarditis on (Bortolotti et al.), 934
Heart, blunt traumatic rupture of: successful repair of simultaneous rupture of right atrium and left ventricle (Hendel and Grant), 574
disease, carcinoid, porcine heterograft valve replacement in (Schoen et al.), 100
dog, importance of edema and compliance changes during 24 hours of preservation of (Bethencourt and Laks), 440
normal, intact, metabolic deterioration during global ischemia as function of time in (Jones et al.), 264
following exposure to profound hypothermia, complete recovery of (Shragge et al.), 455
stone, in neonate (Opie et al.), 459
Hemodilution on cardiopulmonary bypass using stroma-free hemoglobin solution, extending limits of (Moores et al.), 155
Hemodynamic evaluation of St. Jude Medical valve prosthesis in small aortic anulus (Wortham et al.), 615
function, exercise, left ventricular, after aorta–coronary artery bypass grafting, improvement of (Vlietstra et al.), 85
Hemoglobin solution, stroma-free, extending limits of hemodilution on cardiopulmonary bypass using (Moores et al.), 155
Hemorrhage, endobronchial, during cardiopulmonary bypass, management of (Rice et al.), 800
Hemorrhagic infarction and coronary reperfusion (McNamara et al.), 498
Heparin rebound, postoperative, following cardiopulmonary bypass, management of (Pifarré et al.), 378
Hernia, diaphragmatic, congenital, successful treatment of persistent fetal circulation following repair of: extracorporeal membrane oxygenation (Hardesty et al.), 556
right-sided, unusual presentation and systemic vascular communication in association with: extralobar pulmonary sequestration (Canty), 96
Heterograft cardiac valves, porcine, embolic complications of (Jamieson et al.), 626
valve replacement, porcine, in carcinoid heart disease (Schoen et al.), 100
Heterotopic cardiac transplantation, present status of (Barnard et al.), 433
Hum, venous, cervical, symptomatic, surgical treatment of (Brennan and Salerno), 135
Hyperplasia, thymic, with massive enlargement: report of two cases with review of diagnostic criteria (Lack), 741
Hypertension after coronary operation: Can it be prevented by pulsatile perfusion? (Salerno et al.), 396
pulmonary, experimental, with sodium nitroprusside, reversal of (Bixler et al.), 537

Hypertrophied myocardium to ischemia, response of: correlation with biochemical and physiological parameters (Sink et al.), 865
Hypertrophy, left ventricular, chronic, induced by subcoronary valvular aortic stenosis, characteristics of. I. Myocardial blood flow and metabolism (Attarian et al.), 382
II. Response to ischemia (Attarian et al.), 389
Hypothermia and cardiopulmonary bypass in children, electroencephalographic changes with (Hicks and Poole), 781
profound, complete recovery of heart following exposure to (Shragge et al.), 455
Hypothermic potassium crystalloid cardioplegia, multidose, early postoperative results with myocardial protection afforded by: serial assessment of left ventricular performance following coronary artery bypass grafting (Roberts et al.), 69

I

Implantation of cancer cells by biopsy needle (Austin), 318 (letter); Reply (Baker), 318
pacemaker, output programmability and reduction of secondary intervention after (Furman and Pannizzo), 707
surface morphology of degenerated porcine bioprosthetic valves four to seven years following (Riddle et al.), 279
Incision, cosmetically acceptable, for median sternotomy (Laks), 316 (letter)
Indium 111–labeled human platelets during cardiopulmonary bypass, kinetics and sites of sequestration of (Hope et al.), 880
Infancy with expanded polytetrafluoroethylene grafts, surgical treatment of interrupted aortic arch in: two-year follow-up results (Sturm et al.), 245
Infant(s) with coarctation of aorta, surgical intervention in (Waldhausen et al.), 323 (edit.)
less than six months of age, surgical repair of coarctation of aorta in: including question of pulmonary artery banding (Kamau et al.), 171
surgical repair of congenital tracheal stenosis in (Mattingly et al.), 738
Infarct size and infarct microcirculation in baboons, effect of left ventricular–to–aortic bypass on (Ruf et al.), 408
in swine, effect of coronary artery reperfusion on (Campbell et al.), 288
Infarction, hemorrhagic, and coronary reperfusion (McNamara et al.), 498
myocardial, evolving, acute, immediate coronary artery bypass for (Berg et al.), 493
syndrome, postmyocardial, Dressler's, case requiring pericardiectomy following: constrictive pericarditis (Goldhaber et al.), 793
Infection in remnant of left ventricular assist device after successful separation from assisted circulation (McCormick et al.), 727
Infective endocarditis on Hancock porcine bioprostheses, pathological study of (Bortolotti et al.), 934
Infundibulectomy, conservative, in repair of tetralogy of Fallot, drop of residual right ventricular pressure 24 hours after (Goor et al.), 897
Injury, flail chest, selective use of ventilator therapy in (Shackford et al.), 194
Innominate vein, left, intraoperative placement of Swan-Ganz catheter via (Shahian et al.), 802 (letter)
Interrupted aortic arch, aortic atresia with: reparative operation (Norwood and Stellin), 239
in infancy with expanded polytetrafluoroethylene grafts, surgical treatment of: two-year follow-up results (Sturm et al.), 245
Intra-aortic balloon catheters, modified wire-guided and standard, randomized comparison of (Lundell et al.), 297
phase shift balloon pumping utilizing transaxillary approach (Rubin et al.), 641
Intracardiac repair, should valve insertion be part of: tetralogy of Fallot with absent pulmonary valve (Ilbawi et al.), 906
Intracavitary liposarcoma of right ventricle, diagnosis and operative treatment of (Mavroudis et al.), 137
Intrafamilial lung xenografts from fox to dog (Veith et al.), 546
Intramyocardial arteriovenous shunting of blood with nonpulsatile perfusion (Addetia and Callaghan), 219
Intrapleural BCG in lung cancer, four-year follow-up on Albany experience with (McKneally et al.), 485
Intravenous amiodarone in treatment of various arrhythmias following cardiac operations (Installe et al.), 302
Ionescu-Shiley pericardial valvular bioprostheses, unimplanted, structure of bovine parietal pericardium and of (Ishihara et al.), 747
Ischemia, global, as function of time in intact normal dog heart, metabolic deterioration during (Jones et al.), 264
response to, II. Characteristics of chronic left ventricular hypertrophy induced by subcoronary valvular aortic stenosis (Attarian et al.), 389
of hypertrophied myocardium to: correlation with biochemical and physiological parameters (Sink et al.), 865
Ischemic arrest, protection of myocardium during: dose-response curves for procaine and lignocaine in cardioplegic solutions (Hearse et al.), 873
Isolated chylopericardium after cardiac operations (Pollard et al.), 943

K

Kent, Stanley, and accessory atrioventricular connections (Anderson and Becker), 649 (edit.)
type, surgical treatment of left free wall accessory pathways of atrioventricular conduction of (Sealy and Gallagher), 698
Kinetics and sites of sequestration of indium 111–labeled human platelets during cardiopulmonary bypass (Hope et al.), 880

L

Leg wound complications associated with coronary revascularization (DeLaria et al.), 403
Lignocaine and procaine in cardioplegic solutions, dose-response curves for: protection of myocardium during ischemic arrest (Hearse et al.), 873
Liposarcoma, intracavitary, of right ventricle, diagnosis and operative treatment of (Mavroudis et al.), 137
Lung cancer, four-year follow-up on Albany experience with intrapleural BCG in (McKneally et al.), 485
carcinoma, undifferentiated, small cell, unpredictable course of (Li et al.), 34
xenografts, intrafamilial, from fox to dog (Veith et al.), 546
Lymphoma, malignant, primary, of trachea: report of case successfully treated by primary end-to-end anastomosis after circumferential resection of trachea (Maeda et al.), 835

M

Malignant lymphoma, primary, of trachea: report of case successfully treated by primary end-to-end anastomosis after circumferential resection of trachea (Maeda et al.), 835
Mammary artery, internal, and saphenous vein grafts, comparison of (Overton), 141, and (Love), 142 (letters); Reply (Cohn), 142
Manpower survey, second, of thoracic surgery (Bonchek), 949
Marfan syndrome and dilatation of ascending aorta, surgical management of patients with (McDonald et al.), 180
Median sternotomy, cosmetically acceptable incision for (Laks), 316 (letter)
simultaneous bilateral operations for bullous emphysema by (Iwa et al.), 732
Mediastinum in bronchial carcinoma, accuracy of computed tomographic scanning in assessment of (Rea et al.), 825
Membrane, ostial, congenital, of left main coronary artery (Josa et al.), 338
oxygenation, extracorporeal: successful treatment of persistent fetal circulation following repair of congenital diaphragmatic hernia (Hardesty et al.), 556
versus bubble oxygenator, question of: erythrocyte survival following extracorporeal circulation (Tabak et al.), 30
Metabolic deterioration during global ischemia as function of time in intact normal dog heart (Jones et al.), 264
Metabolism and blood flow, myocardial, I. Characteristics of chronic left ventricular hypertrophy induced by subcoronary valvular aortic stenosis (Attarian et al.), 382
Metastases from gestational choriocarcinoma, pulmonary resection in management of (Sink et al.), 830
Microcirculation, infarct, and infarct size in baboons, effect of left ventricular–to–aortic bypass on (Ruf et al.), 408
Mitral and aortic valve replacement in children, experience with (Williams et al.), 326
ridge, supravalvular, containing dominant left circumflex coronary artery (Huhta et al.), 577
valve prostheses, Beall, chest film diagnosis of disc embolization in patients with (Gutierrez et al.), 758
replacement, air embolism during (Sturm), 804 (letter); Replies (Levitsky), 805, and (McGoon), 805
valvular ring, enlargement of: new technique for double valve replacement in children or adults with small mitral anulus (Rastan et al.), 106
Morphine sulfate and halothane on myocardial compliance following total cardiopulmonary bypass, effects of (Moores et al.), 163
Morphology, brain, following cardiac operations as reflected by computed tomographic scans of brain, subclinical changes in (Muraoka et al.), 364
surface, of degenerated porcine bioprosthetic valves four to seven years following implantation (Riddle et al.), 279
Muscle, skeletal, diaphragmatic, replacement of ventricular myocardium with: short-term studies (Macoviak et al.), 519
Mustard operation for dextro-transposition of great arteries, results of (Arciniegas et al.), 580
Myocardial blood flow and metabolism, I. Characteristics of chronic left ventricular hypertrophy induced by subcoronary valvular aortic stenosis (Attarian et al.), 382
compliance following total cardiopulmonary bypass, effects of halothane and morphine sulfate on (Moores et al.), 163
glycogen and potassium cardioplegia (Barner), 948 (letter); Reply (Chiong and Salerno), 948
Myocardial—Cont'd
infarction, evolving, acute, immediate coronary artery bypass for (Berg et al.), 493
post-, infarction syndrome, Dressler's, case requiring pericardiectomy following: constrictive pericarditis (Goldhaber et al.), 793
protection afforded by multidose hypothermic potassium crystalloid cardioplegia, early postoperative results with: serial assessment of left ventricular performance following coronary artery bypass grafting (Roberts et al.), 69
cardioplegic, does lower systemic temperature enhance (Grover et al.), 11
revascularization in patients with severe left ventricular dysfunction, improved long-term survival following (Coles et al.), 846
temperature distribution, regional and transmural, in cold chemical cardioplegia: significance of critical coronary arterial stenosis (Heineman et al.), 851
Myocardium, hypertrophied, to ischemia, response of: correlation with biochemical and physiological parameters (Sink et al.), 865
during ischemic arrest, protection of: dose-response curves for procaine and lignocaine in cardioplegic solutions (Hearse et al.), 873
ventricular, with diaphragmatic skeletal muscle, replacement of: short-term studies (Macoviak et al.), 519

N

Needle, biopsy, implantation of cancer cells by (Austin), 318 (letter); Reply (Baker), 318
Neonate(s), aortic thrombosis in (McFaul et al.), 334
prostaglandin E_1 as adjunct to emergency cardiac operation in (Donahoo et al.), 227
stone heart in (Opie et al.), 459
Neoplasm, lesions of thoracic aorta and arch branches simulating (Shahian et al.), 251
Neutropenia and complement activation occurring during cardiopulmonary bypass (Hammerschmidt et al.), 370
Nissen fundoplication, reoperation for complications of (Leonardi et al.), 50
Nitroprusside, sodium, reversal of experimental pulmonary hypertension with (Bixler et al.), 537
Node function, sinus, postoperative, in children, bedside evaluation of (Yabek et al.), 691
Nonpulsatile perfusion, intramyocardial arteriovenous shunting of blood with (Addetia and Callaghan), 219

O

Obesity, morbid, effective new surgical approach to: transthoracic gastric stapling (Lozner et al.), 57
Obstructed right-sided porcine-valved extracardiac conduits, clinicopathological correlates of (Agarwal et al.), 591
Obstruction, interatrial, syndrome of single ventricle without pulmonary stenosis but with: palliative management with simultaneous atrial septostomy and pulmonary artery banding (Rao et al.), 127
outflow, aortic, single ventricle with: operative repair by creation of double outlet to aorta and application of Fontan principle (Doty et al.), 636 (curr. tech.)
Operation(s), cardiac, emergency, in neonates, prostaglandin E_1 as adjunct to (Donahoo et al.), 227

Operation(s), cardiac—Cont'd
intravenous amiodarone in treatment of various arrhythmias following (Installe et al.), 302
isolated, chylopericardium after (Pollard et al.), 943
Mustard, for dextro-transposition of great arteries, results of (Arciniegas et al.), 580
Senning, reconstruction of new atrial septum in: new technique (Levinsky et al.), 131
thoracic, general, elective, major; prospective, randomized, double-blind study using prophylactic cephalothin for (Ilves et al.), 813
Origin, anomalous, of left coronary artery from pulmonary trunk (Luisi et al.), 316 (letter); Reply (Levitsky), 317; Editor's note (McGoon), 317
Ostial membrane, congenital, of left main coronary artery (Josa et al.), 338
Outflow obstruction, aortic, single ventricle with: operative repair by creation of double outlet to aorta and application of Fontan principle (Doty et al.), 636 (curr. tech.)
tract(s) of right ventricle in tetralogy of Fallot, fractional gradients along: anatomic and hemodynamic correlative study (Smolinsky et al.), 774
ventricular, in growing and adult dogs, study of autologous pericardial patch-grafts in (Hjelms et al.), 120
Output programmability and reduction of secondary intervention after pacemaker implantation (Furman and Pannizzo), 713
Overload, pressure, right ventricular, and chronic cyanosis, left ventricular dynamic geometry and diastolic mechanics in model of (Visner et al.), 347
Oxygenation, membrane, extracorporeal: successful treatment of persistent fetal circulation following repair of congenital diaphragmatic hernia (Hardesty et al.), 556
Oxygenator, membrane versus bubble, question of: erythrocyte survival following extracorporeal circulation (Tabak et al.), 30

P

Pacemaker implantation, output programmability and reduction of secondary intervention after (Furman and Pannizzo), 707
Palliative approach, one-stage, aggressive: carcinoma of esophagus (Hoffmann et al.), 44
Parietal pericardium, bovine, and of unimplanted Ionescu-Shiley pericardial valvular bioprostheses, structure of (Ishihara et al.), 747
Patch-grafts, pericardial, autologous, in right ventricular outflow tracts in growing and adult dogs, study of (Hjelms et al.), 120
Patent ductus arteriosus during cardiopulmonary bypass, control of (Sade), 143 (letter)
Pathways, accessory, free wall, left, of atrioventricular conduction of Kent type, surgical treatment of (Sealy and Gallagher), 698
multiple, of atrioventricular conduction, surgical problems with (Sealy and Gallagher), 707
Penetrating thoracic trauma producing cardiac shunts (Thandroyen and Matisonn), 569
Perfusion, nonpulsatile, intramyocardial arteriovenous shunting of blood with (Addetia and Callaghan), 219
pulsatile, can hypertension after coronary operation be prevented by? (Salerno et al.), 396
Pericardial patch-grafts, autologous, in right ventricular outflow tracts in growing and adult dogs, study of (Hjelms et al.), 120
tamponade and its effect on cardiac performance in absence of pulmonic valve (Milo et al.), 787
valvular bioprostheses, Ionescu-Shiley, unimplanted, structure of bovine parietal pericardium and of (Ishihara et al.), 747
Pericardiectomy following Dressler's postmyocardial infarction syndrome, case requiring: constrictive pericarditis (Goldhaber et al.), 793
Pericarditis, constrictive: case requiring pericardiectomy following Dressler's postmyocardial infarction syndrome (Goldhaber et al.), 793
Pericardium, parietal, bovine, and of unimplanted Ionescu-Shiley pericardial valvular bioprostheses, structure of (Ishihara et al.), 747
Pigs, growing, primary vascular anastomosis in: comparison of polypropylene and polyglycolic acid sutures (Pae et al.), 921
Platelet(s) function and number by prostacyclin during cardiopulmonary bypass, preservation of (Coppe et al.), 274
human, indium 111–labeled, during cardiopulmonary bypass, kinetics and sites of sequestration of (Hope et al.), 880
Pleural, intra-, BCG in lung cancer, four-year follow-up on Albany experience with (McKneally et al.), 485
Polyglycolic acid and polypropylene sutures, comparison of: primary vascular anastomosis in growing pigs (Pae et al.), 921
Polypropylene and polyglycolic acid sutures, comparison of: primary vascular anastomosis in growing pigs (Pae et al.), 921
Polytetrafluoroethylene grafts, expanded, surgical treatment of interrupted aortic arch in infancy with: two-year follow-up results (Sturm et al.), 245
vascular grafts, expanded, in aorta-coronary bypass, early and late patency of (Sapsford et al.), 860
Porcine bioprostheses, Hancock, pathological study of infective endocarditis on (Bortolotti et al.), 934
bioprosthetic valves, degenerated, four to seven years following implantation, surface morphology of (Riddle et al.), 279
heterograft cardiac valves, embolic complications of (Jamieson et al.), 626
valve replacement in carcinoid heart disease (Schoen et al.), 100
-valved extracardiac conduits, right-sided, obstructed, clinicopathological correlates of (Agarwal et al.), 591
xenografts, glutaraldehyde-preserved, in young patients, calcification of (Curcio et al.), 621
Postmyocardial infarction syndrome, Dressler's, case requiring pericardiectomy following: constrictive pericarditis (Goldhaber et al.), 793
Potassium cardioplegia, myocardial glycogen and (Barner), 948 (letter); Reply (Chiong and Salerno), 948
urine and serum potassium levels after (Azar et al.), 516
crystalloid cardioplegia, hypothermic, multidose, early postoperative results with myocardial protection afforded by: serial assessment of left ventricular performance following coronary artery bypass grafting (Roberts et al.), 69
Predicting aortic valve prosthesis size: step toward better matching of patient and prosthesis (Babb et al.), 450
Preservation of dog heart, importance of edema and compliance changes during 24 hours of (Bethencourt and Laks), 440
of platelet function and number by prostacyclin during cardiopulmonary bypass (Coppe et al.), 274

Presidential Address: Perspectives in coronary artery surgery (Liddle), 1
Pressure overload, right ventricular, and chronic cyanosis, left ventricular dynamic geometry and diastolic mechanics in model of (Visner et al.), 347
right ventricular, residual, 24 hours after conservative infundibulectomy in repair of tetralogy of Fallot, drop of (Goor et al.), 897
Primary malignant lymphoma of trachea: report of case successfully treated by primary end-to-end anastomosis after circumferential resection of trachea (Maeda et al.), 835
vascular anastomosis in growing pigs: comparison of polypropylene and polyglycolic acid sutures (Pae et al.), 921
Procaine and lignocaine in cardioplegic solutions, dose-response curves for: protection of myocardium during ischemic arrest (Hearse et al.), 873
Procedure, Fontan, modified: methods to achieve direct anastomosis of right atrium to pulmonary artery (Doty et al.), 470 (curr. tech.)
Programmability, output, and reduction of secondary intervention after pacemaker implantation (Furman and Pannizzo), 707
Prophylactic cephalothin for major, elective, general thoracic operations, prospective, randomized, double-blind study using (Ilves et al.), 813
Prophylaxis, thromboembolic, in patients with aortic valve prosthesis, dipyridamole-aspirin as: prospective study with Model 2320 Starr-Edwards prosthesis (Brott et al.), 632
Propranolol, low-dose, after coronary bypass, prevention of supraventricular tachyarrhythmia with (Mohr et al.), 840
Prostacyclin during cardiopulmonary bypass, preservation of platelet function and number by (Coppe et al.), 274
Prostaglandin E_1 as adjunct to emergency cardiac operation in neonates (Donahoo et al.), 227
Prosthesis(es), aortic valve, dipyridamole-aspirin as thromboembolic prophylaxis in patients with: prospective study with Model 2320 Starr-Edwards prosthesis (Brott et al.), 632
mitral valve, Beall, chest film diagnosis of disc embolization in patients with (Gutierrez et al.), 758
size, aortic valve, predicting: step toward better matching of patient and prosthesis (Babb et al.), 450
St. Jude Medical (Jones), 642 (letter); Replies (D'Angelo), 643, and (Lillehei), 643
valve, St. Jude Medical, in small aortic anulus, hemodynamic evaluation of (Wortham et al.), 615
valvular, St. Jude, new, appreciation of (Chaux et al.), 202
Prosthetic valve endocarditis, translocation of aortic valve for (Reitz et al.), 212
Protection, myocardial, afforded by multidose hypothermic potassium crystalloid cardioplegia, early postoperative results with: serial assessment of left ventricular performance following coronary artery bypass grafting (Roberts et al.), 69
cardioplegic, does lower systemic temperature enhance (Grover et al.), 11
of myocardium during ischemic arrest: dose-response curves for procaine and lignocaine in cardioplegic solutions (Hearse et al.), 873
Pseudoaneurysm, coronary, giant: five-year follow-up after bypass grafting (Chun et al.), 92
Pulmonary artery banding, including question of: surgical repair of coarctation of aorta in infants less than six months of age (Kamau et al.), 171
Pulmonary artery—Cont'd
collaterals, systemic–, following surgical correction of pulmonary atresia, wire coil embolization of (Szarnicki et al.), 124
conduit operation, right atrium–, for tricuspid atresia, experimental evaluation of atrial function in (Matsuda et al.), 762
to right atrium, methods to achieve direct anastomosis of: modified Fontan procedure (Doty et al.), 470 (curr. tech.)
shunts, prosthetic systemic–, use of subclavian artery orifice as flow regulator in: modified Blalock-Taussig shunt (de Leval et al.), 112
blood flow after right ventricular bypass, augmentation of (Sade and Dearing), 928
complications, delayed, of ventricular aneurysm repair: report of two cases and review of literature (Fudge et al.), 400
hypertension, experimental, with sodium nitroprusside, reversal of (Bixler et al.), 537
resection in management of metastases from gestational choriocarcinoma (Sink et al.), 830
sequestration, extralobar: unusual presentation and systemic vascular communication in association with right-sided diaphragmatic hernia (Canty), 96
stenosis but with left atrioventricular valve atresia and interatrial obstruction, syndrome of single ventricle without: palliative management with simultaneous atrial septostomy and pulmonary artery banding (Rao et al.), 127
trunk, anomalous origin of left coronary artery from (Luisi et al.), 316 (letter); Reply (Levitsky), 317; Editor's note (McGoon), 317
valve, absent, tetralogy of Fallot with: should valve insertion be part of intracardiac repair (Ilbawi et al.), 906
pericardial tamponade and its effect on cardiac performance in absence of (Milo et al.), 787
Pulsatile perfusion, can hypertension after coronary operation be prevented by? (Salerno et al.), 396
Pumping, balloon, phase shift, intra-aortic, utilizing transaxillary approach (Rubin et al.), 641
transaxillary approach for (Rubin), 641 (letter); Response (McGoon), 641

R

Rebound, heparin, postoperative, following cardiopulmonary bypass, management of (Pifarré et al.), 378
Reconstruction of new atrial septum in Senning operation: new technique (Levinsky et al.), 131
Recovery, complete, of heart following exposure to profound hypothermia (Shragge et al.), 455
References in recent report, clarification of (Buckberg), 316 (letter)
Reimplantation of coronary arteries, complete replacement of ascending aorta with: new surgical approach (Cabrol et al.), 309 (curr. tech.)
Reoperations, coronary artery, 500, late clinical and arteriographic results in (Loop et al.), 675
Repair, aneurysm, ventricular, delayed pulmonary complications of: report of two cases and review of literature (Fudge et al.), 400
of dissection of thoracic aorta: evaluation of false lumen utilizing computed tomography (Turley et al.), 61
intracardiac, should valve insertion be part of: tetralogy of Fallot with absent pulmonary valve (Ilbawi et al.), 906

Repair—Cont'd
surgical, of coarctation of aorta in infants less than six months of age: including question of pulmonary artery banding (Kamau et al.), 171
of congenital tracheal stenosis in infant (Mattingly et al.), 738
of tetralogy of Fallot, drop of residual right ventricular pressure 24 hours after conservative infundibulectomy in (Goor et al.), 897
Reperfusion, coronary artery, on infarct size in swine, effect of (Campbell et al.), 288
and hemorrhagic infarction (McNamara et al.), 498
Replacement, complete, of ascending aorta with reimplantation of coronary arteries: new surgical approach (Cabrol et al.), 309 (curr. tech.)
with use of shunt or bypass: aneurysm of descending thoracic aorta (Hilgenberg et al.), 818
valve. *See* Valve.
of ventricular myocardium with diaphragmatic skeletal muscle: short-term studies (Macoviak et al.), 519
Resection of ascending aortic aneurysm and replacement of aortic valve (Kouchoukos and Karp), 142 (letter); Reply (Miller), 143
circumferential, of trachea, report of case successfully treated by primary end-to-end anastomosis after: primary malignant lymphoma of trachea (Maeda et al.), 835
pulmonary, in management of metastases from gestational choriocarcinoma (Sink et al.), 830
Revascularization, coronary, leg wound complications associated with (DeLaria et al.), 403
myocardial, in patients with severe left ventricular dysfunction, improved long-term survival following (Coles et al.), 846
simultaneous, of coronary and vertebral arteries (Moran et al.), 428
Reversal of experimental pulmonary hypertension with sodium nitroprusside (Bixler et al.), 537
Ridge, mitral, supravalvular, containing dominant left circumflex coronary artery (Huhta et al.), 577
Ring, valvular, mitral, enlargement of: new technique for double valve replacement in children or adults with small mitral anulus (Rastan et al.), 106
Risk factors, incremental, for spinal cord injury following operation for acute traumatic aortic transection (Katz et al.), 669
Rupture, traumatic, blunt, of heart: successful repair of simultaneous rupture of right atrium and left ventricle (Hendel and Grant), 574

S

Samson Thoracic Surgical Society: Announcement of 1981 Annual Meeting, 147, 321, 483, 647, 808, 953
Program for 1981 Annual Meeting, 810
Roster of members, 149
Saphenous vein and internal mammary artery grafts, comparison of (Overton), 141, and (Love), 142 (letters); Reply (Cohn), 142
Scans, tomographic, computed, of brain, subclinical changes in brain morphology following cardiac operations as reflected by (Muraoka et al.), 364
Scanning, tomographic, computed, in assessment of mediastinum in bronchial carcinoma, accuracy of (Rea et al.), 825
Senning operation, reconstruction of new atrial septum in: new technique (Levinsky et al.), 131
Septostomy, atrial, and pulmonary artery banding, simultaneous, palliative management with: syndrome of single ventricle without pulmonary stenosis but with interatrial obstruction (Rao et al.), 127
Septum, atrial, new, reconstruction of, in Senning operation: new technique (Levinsky et al.), 131
Sequestration of indium 111–labeled human platelets during cardiopulmonary bypass, kinetics and sites of (Hope et al.), 880
pulmonary, extralobar: unusual presentation and systemic vascular communication in association with right-sided diaphragmatic hernia (Canty), 96
Serum and urine potassium levels after potassium cardioplegia (Azar et al.), 516
Shunt(s), Blalock-Taussig, modified: use of subclavian artery orifice as flow regulator in prosthetic systemic–pulmonary artery shunts (de Leval et al.), 112
or bypass, replacement with use of: aneurysm of descending thoracic aorta (Hilgenberg et al.), 818
cardiac, penetrating thoracic trauma producing (Thandroyen and Matisonn), 569
Shunting of blood, arteriovenous, intramyocardial, with nonpulsatile perfusion (Addetia and Callaghan), 219
Single ventricle with aortic outflow obstruction: operative repair by creation of double outlet to aorta and application of Fontan principle (Doty et al.), 636 (curr. tech.)
Sinus node function, postoperative, in children, bedside evaluation of (Yabek et al.), 691
Skeletal muscle, diaphragmatic, replacement of ventricular myocardium with: short-term studies (Macoviak et al.), 519
Small cell undifferentiated lung carcinoma, unpredictable course of (Li et al.), 34
Sodium nitroprusside, reversal of experimental pulmonary hypertension with (Bixler et al.), 537
Solution(s), cardioplegic, dose-response curves for procaine and lignocaine in: protection of myocardium during ischemic arrest (Hearse et al.), 873
hemoglobin, stroma-free, extending limits of hemodilution on cardiopulmonary bypass using (Moores et al.), 155
Spinal cord injury following operation for acute traumatic aortic transection, incremental risk factors for (Katz et al.), 669
Stapling, gastric, transthoracic: effective new surgical approach to morbid obesity (Lozner et al.), 57
Starr-Edwards prosthesis, Model 2320, prospective study with: dipyridamole-aspirin as thromboembolic prophylaxis in patients with aortic valve prosthesis (Brott et al.), 632
Stenosis(es), aortic valvular, congenital: surgical management and long-term results (Dobell et al.), 916
subcoronary, characteristics of chronic left ventricular hypertrophy induced by. I. Myocardial blood flow and metabolism (Attarian et al.), 382
II. Response to ischemia (Attarian et al.), 389
coronary arterial, critical, significance of: regional and transmural myocardial temperature distribution in cold chemical cardioplegia (Heineman et al.), 851
critical importance of ensuring cardioplegic delivery with (Becker et al.), 507
pulmonary, but with left atrioventricular valve atresia and interatrial obstruction, syndrome of single ventricle without: palliative management with simultaneous atrial septostomy and pulmonary artery banding (Rao et al.), 127
tracheal, congenital, in infant, surgical repair of (Mattingly et al.), 738

Sternotomy, median, cosmetically acceptable incision for (Laks), 316 (letter)
simultaneous bilateral operations for bullous emphysema by (Iwa et al.), 732
St. Jude Medical prosthesis (Jones), 642 (letter); Replies (D'Angelo), 643, and (Lillehei), 643
valve prosthesis in small aortic anulus, hemodynamic evaluation of (Wortham et al.), 615
valvular prosthesis, new, appreciation of (Chaux et al.), 202
Stone heart in neonate (Opie et al.), 459
Stroma-free hemoglobin solution, extending limits of hemodilution on cardiopulmonary bypass using (Moores et al.), 155
Stump suture granulomas, bronchial, bronchoscopic diagnosis and treatment of (Baumgartner and Mark), 553
Subclavian artery orifice as flow regulator in prosthetic systemic–pulmonary artery shunts, use of: modified Blalock-Taussig shunt (de Leval et al.), 112
Subcoronary valvular aortic stenosis, characteristics of chronic left ventricular hypertrophy induced by. I. Myocardial blood flow and metabolism (Attarian et al.), 382
II. Response to ischemia (Attarian et al.), 389
Suppurative thrombophlebitis, extensive, of central veins of chest, surgical approach to (Winn et al.), 564
Supravalvular mitral ridge containing dominant left circumflex coronary artery (Huhta et al.), 577
Supraventricular arrhythmias following coronary artery bypass, immediate postoperative digitalization in prophylaxis of (Csicsko et al.), 419
tachyarrhythmia with low-dose propranolol after coronary bypass, prevention of (Mohr et al.), 840
Surface morphology of degenerated porcine bioprosthetic valves four to seven years following implantation (Riddle et al.), 279
Surgery, bypass, coronary artery, in 1980, practice of (Miller et al.), 423
coronary artery, perspectives in (Liddle), 1 (Presidential Address)
thoracic, second manpower survey of (Bonchek), 949
Surgical anatomy of tetralogy of Fallot (Anderson et al.), 887
Survey, manpower, second, of thoracic surgery (Bonchek), 949
Suture(s) granulomas, bronchial stump, bronchoscopic diagnosis and treatment of (Baumgartner and Mark), 553
polypropylene and polyglycolic acid, comparison of: primary vascular anastomosis in growing pigs (Pae et al.), 921
techniques for atrioventricular valves: experimental study (Katz et al.), 528
Swan-Ganz catheter via left innominate vein, intraoperative placement of (Shahian et al.), 802 (letter)
Swine, effect of coronary artery reperfusion on infarct size in (Campbell et al.), 288
Syndrome, Marfan, and dilatation of ascending aorta, surgical management of patients with (McDonald et al.), 180
postmyocardial infarction, Dressler's, case requiring pericardiectomy following: constrictive pericarditis (Goldhaber et al.), 793
of single ventricle without pulmonary stenosis but with left atrioventricular valve atresia and interatrial obstruction: palliative management with simultaneous atrial septostomy and pulmonary artery banding (Rao et al.), 127
Systems, assist, left ventricular, abdominal, electrically actuated, for long-term use, development and evaluation of (Fuqua et al.), 718
Systemic–pulmonary artery collaterals following surgical correction of pulmonary atresia, wire coil embolization of (Szarnicki et al.), 124
shunts, prosthetic, use of subclavian artery orifice as flow regulator in: modified Blalock-Taussig shunt (de Leval et al.), 112

T

Tachyarrhythmia, supraventricular, with low-dose propranolol after coronary bypass, prevention of (Mohr et al.), 840
Tachycardia, ventricular, exercise-induced, efficacy of coronary bypass grafting in (Codini et al.), 502
Tamponade, pericardial, and its effect on cardiac performance in absence of pulmonic valve (Milo et al.), 787
Techniques, suture, for atrioventricular valves: experimental study (Katz et al.), 528
Temperature distribution, myocardial, regional and transmural, in cold chemical cardioplegia: significance of critical coronary arterial stenosis (Heineman et al.), 851
systemic, lower, does it enhance cardioplegic myocardial protection? (Grover et al.), 11
Tetralogy of Fallot with absent pulmonary valve: should valve insertion be part of intracardiac repair (Ilbawi et al.), 906
with complete atrioventricular canal, results of total correction of (Arciniegas et al.), 768
drop of residual right ventricular pressure 24 hours after conservative infundibulectomy in repair of (Goor et al.), 897
fractional gradients along outflow tract of right ventricle in: anatomic and hemodynamic correlative study (Smolinsky et al.), 774
surgical anatomy of (Anderson et al.), 887
Thickness, wall, left ventricular, transposition and (Huhta et al.), 803 (letter); Reply (Baño-Rodrigo et al.), 803
Thoracic aorta and arch branches simulating neoplasm, lesions of (Shahian et al.), 251
descending, aneurysm of: replacement with use of shunt or bypass (Hilgenberg et al.), 818
repair of dissection of: evaluation of false lumen utilizing computed tomography (Turley et al.), 61
operations, general, elective, major; prospective, randomized, double-blind study using prophylactic cephalothin for (Ilves et al.), 813
surgery, second manpower survey of (Bonchek), 949
trauma, penetrating, producing cardiac shunts (Thandroyen and Matisonn), 569
Thoracotomy in patients over age seventy years: ten-year experience (Breyer et al.), 187
Thromboembolic prophylaxis in patients with aortic valve prosthesis, dipyridamole-aspirin as: prospective study with Model 2320 Starr-Edwards prosthesis (Brott et al.), 632
Thromboexclusion and flow reversal: new surgical approach to aortic dissection (Carpentier et al.), 659
Thrombophlebitis, suppurative, extensive, of central veins of chest, surgical approach to (Winn et al.), 564
Thrombosis, aortic, in neonate (McFaul et al.), 334
Hancock bioprosthesis and (Cella and Girolami), 947 (letter); Reply (Thiene et al.), 947
Thymic hyperplasia with massive enlargement: report of two cases with review of diagnostic criteria (Lack), 741
Tomographic scans, computed, of brain, subclinical changes in brain morphology following cardiac operations as reflected by (Muraoka et al.), 364

Tomographic—Cont'd
scanning, computed, in assessment of mediastinum in bronchial carcinoma, accuracy of (Rea et al.), 825
Tomography, computed, evaluation of false lumen utilizing: repair of dissection of thoracic aorta (Turley et al.), 61
Trachea, primary malignant lymphoma of: report of case successfully treated by primary end-to-end anastomosis after circumferential resection of trachea (Maeda et al.), 835
Tracheal stenosis, congenital, in infant, surgical repair of (Mattingly et al.), 738
Tracheoesophageal fistula and esophageal atresia: review of thirteen years' experience (Hicks and Mansfield), 358
Tract(s), outflow, of right ventricle in tetralogy of Fallot, fractional gradients along: anatomic and hemodynamic correlative study (Smolinsky et al.), 774
ventricular, in growing and adult dogs, study of autologous pericardial patch-grafts in (Hjelms et al.), 120
Transaxillary approach for balloon pumping (Rubin), 641 (letter); Response (McGoon), 641
intra-aortic phase shift balloon pumping utilizing (Rubin et al.), 641
Transection, aortic, traumatic, acute, incremental risk factors for spinal cord injury following operation for (Katz et al.), 669
Translocation of aortic valve for prosthetic valve endocarditis (Reitz et al.), 212
Transplantation, cardiac, heterotopic, present status of (Barnard et al.), 433
Transposition, dextro-, of great arteries, results of Mustard operation for (Arciniegas et al.), 580
and left ventricular wall thickness (Huhta et al.), 803 (letter); Reply (Baño-Rodrigo et al.), 803
Transthoracic gastric stapling: effective new surgical approach to morbid obesity (Lozner et al.), 57
Trauma, thoracic, penetrating, producing cardiac shunts (Thandroyen and Matisonn), 569
Traumatic aortic transection, acute, incremental risk factors for spinal cord injury following operation for (Katz et al.), 669
rupture, blunt, of heart: successful repair of simultaneous rupture of right atrium and left ventricle (Hendel and Grant), 574
Triatriatum, cor (subdivided left atrium) (Richardson et al.), 232
Tricuspid atresia, experimental evaluation of atrial function in right atrium–pulmonary artery conduit operation for (Matsuda et al.), 762
Trunk, pulmonary, anomalous origin of left coronary artery from (Luisi et al.), 316 (letter); Reply (Levitsky), 317; Editor's note (McGoon), 317
Tumor, unresectable, of left ventricle, operative treatment of (Jamieson et al.), 797

U

Undifferentiated lung carcinoma, small cell, unpredictable course of (Li et al.), 34
Unresectable tumor of left ventricle, operative treatment of (Jamieson et al.), 797
Urine and serum potassium levels after potassium cardioplegia (Azar et al.), 516

V

Valve(s), aortic, for prosthetic valve endocarditis, translocation of (Reitz et al.), 212
Valve(s), aortic—Cont'd
replacement of, and resection of ascending aortic aneurysm (Kouchoukos and Karp), 142 (letter); Reply (Miller), 143
atresia, atrioventricular, left, and interatrial obstruction, syndrome of single ventricle without pulmonary stenosis but with: palliative management with simultaneous atrial septostomy and pulmonary artery banding (Rao et al.), 127
atrioventricular, suture techniques for: experimental study (Katz et al.), 528
bioprosthetic, porcine, degenerated, four to seven years following implantation, surface morphology of (Riddle et al.), 279
Björk-Shiley: intermediate-term follow-up (Karp et al.), 602
cardiac, heterograft, porcine, embolic complications of (Jamieson et al.), 626
prosthesis(es), aortic, dipyridamole-aspirin as thromboembolic prophylaxis in patients with: prospective study with Model 2320 Starr-Edwards prosthesis (Brott et al.), 632
mitral, Beall, chest film diagnosis of disc embolization in patients with (Gutierrez et al.), 758
size, aortic, predicting: step toward better matching of patient and prosthesis (Babb et al.), 450
St. Jude Medical, in small aortic anulus, hemodynamic evaluation of (Wortham et al.), 615
pulmonary, absent, tetralogy of Fallot with: should valve insertion be part of intracardiac repair (Ilbawi et al.), 906
pulmonic, pericardial tamponade and its effect on cardiac performance in absence of (Milo et al.), 787
replacement, aortic and mitral, in children, experience with (Williams et al.), 326
double, in children or adults with small mitral anulus, new technique for: enlargement of mitral valvular ring (Rastan et al.), 106
heterograft, porcine, in carcinoid heart disease (Schoen et al.), 100
mitral, air embolism during (Sturm), 804 (letter); Replies (Levitsky), 805, and (McGoon), 805
Valved, porcine-, extracardiac conduits, right-sided, obstructed, clinicopathological correlates of (Agarwal et al.), 591
Valvular aortic stenosis, congenital: surgical management and long-term results (Dobell et al.), 916
subcoronary, characteristics of chronic left ventricular hypertrophy induced by. I. Myocardial blood flow and metabolism (Attarian et al.), 382
II. Response to ischemia (Attarian et al.), 389
bioprostheses, pericardial, Ionescu-Shiley, unimplanted, structure of bovine parietal pericardium and of (Ishihara et al.), 747
prosthesis, St. Jude, new, appreciation of (Chaux et al.), 202
Vascular anastomosis, primary, in growing pigs: comparison of polypropylene and polyglycolic acid sutures (Pae et al.), 921
grafts, expanded polytetrafluoroethylene, in aorta-coronary bypass, early and late patency of (Sapsford et al.), 860
Veins(s), central, of chest, surgical approach to extensive suppurative thrombophlebitis of (Winn et al.), 564
innominate, left, intraoperative placement of Swan-Ganz catheter via (Shahian et al.), 802 (letter)
saphenous, and internal mammary artery grafts, comparison of (Overton), 141, and (Love), 142 (letters); Reply (Cohn), 142

Venous cannulas, various, objective evaluation of efficacy of (Arom et al.), 464
hum, cervical, symptomatic, surgical treatment of (Brennan and Salerno), 135
Ventilator therapy in flail chest injury, selective use of (Shackford et al.), 194
Ventricle, left, operative treatment of unresectable tumor of (Jamieson et al.), 797
and right atrium, successful repair of simultaneous rupture of: blunt traumatic rupture of heart (Hendel and Grant), 574
right, diagnosis and operative treatment of intracavitary liposarcoma of (Mavroudis et al.), 137
outflow tract of, in tetralogy of Fallot, fractional gradients along: anatomic and hemodynamic correlative study (Smolinsky et al.), 774
single, with aortic outflow obstruction: operative repair by creation of double outlet to aorta and application of Fontan principle (Doty et al.), 636 (curr. tech.)
without pulmonary stenosis but with left atrioventricular valve atresia and interatrial obstruction, syndrome of: palliative management with simultaneous atrial septostomy and pulmonary artery banding (Rao et al.), 127
Ventricular aneurysm repair, delayed pulmonary complications of: report of two cases and review of literature (Fudge et al.), 400
–to–aortic bypass, left, on infarct size and infarct microcirculation in baboons, effect of (Ruf et al.), 408
assist device, left, after successful separation from assisted circulation, infection in remnant of (McCormick et al.), 727
systems, left, abdominal, electrically actuated, for long-term use, development and evaluation of (Fuqua et al.), 718
bypass, right, augmentation of pulmonary blood flow after (Sade and Dearing), 928
dysfunction, left, severe, improved long-term survival following myocardial revascularization in patients with (Coles et al.), 846
exercise hemodynamic function, left, after aorta–coronary artery bypass grafting, improvement of (Vlietstra et al.), 85
hypertrophy, left, chronic, induced by subcoronary valvular aortic stenosis, characteristics of. I. Myocardial blood flow and metabolism (Attarian et al.), 382
II. Response to ischemia (Attarian et al.), 389
Ventricular—Cont'd
myocardium with diaphragmatic skeletal muscle, replacement of: short-term studies (Macoviak et al.), 519
outflow tracts, right, in growing and adult dogs, study of autologous pericardial patch-grafts in (Hjelms et al.), 120
performance, left, following coronary artery bypass grafting, serial assessment of: early postoperative results with myocardial protection afforded by multidose hypothermic potassium crystalloid cardioplegia (Roberts et al.), 69
pressure overload, right, and chronic cyanosis, left ventricular dynamic geometry and diastolic mechanics in model of (Visner et al.), 347
right, residual, 24 hours after conservative infundibulectomy in repair of tetralogy of Fallot, drop of (Goor et al.), 897
tachycardia, exercise-induced, efficacy of coronary bypass grafting in (Codini et al.), 502
wall thickness, left, transposition and (Huhta et al.), 803 (letter); Reply (Baño-Rodrigo et al.), 803
Vertebral and coronary arteries, simultaneous revascularization of (Moran et al.), 428

W

Wall thickness, left ventricular, transposition and (Huhta et al.), 803 (letter); Reply (Baño-Rodrigo et al.), 803
Wire coil embolization of systemic–pulmonary artery collaterals following surgical correction of pulmonary atresia (Szarnicki et al.), 124
-guided, modified, and standard intra-aortic balloon catheters, randomized comparison of (Lundell et al.), 297
Wound complications, leg, associated with coronary revascularization (DeLaria et al.), 403

X

Xenografts, lung, intrafamilial, from fox to dog (Veith et al.), 546
porcine, glutaraldehyde-preserved, in young patients, calcification of (Curcio et al.), 621

Y

Young patients, calcification of glutaraldehyde-preserved porcine xenografts in (Curcio et al.), 621

The Journal of **THORACIC AND CARDIOVASCULAR SURGERY**

Official organ, The American Association for Thoracic Surgery and The Samson Thoracic Surgical Society

Editor DWIGHT C. McGOON, *Rochester, Minn.*

Associate editors PHILIP E. BERNATZ, *Rochester, Minn.*
MICHAEL P. KAYE, *Rochester, Minn.*

Advisory editorial board
W. GERALD AUSTEN, *Boston*
RONALD J. BAIRD, *Toronto*
ALDO R. CASTANEDA, *Boston*
WILLARD M. DAGGETT, *Boston*
DONALD B. DOTY, *Iowa City*
L. PENFIELD FABER, *Chicago*
VINCENT L. GOTT, *Baltimore*
HERMES C. GRILLO, *Boston*
GERARD A. KAISER, *Miami*
JOHN W. KIRKLIN, *Birmingham*
GEORGE G. LINDESMITH, *Los Angeles*
FLOYD D. LOOP, *Cleveland*
GEORGE J. MAGOVERN, *Pittsburgh*
JAMES R. MALM, *New York*
NOEL L. MILLS, *New Orleans*
DONALD G. MULDER, *Los Angeles*
THOMAS F. NEALON, JR., *New York*
FREDERICK G. PEARSON, *Toronto*
DAVID C. SABISTON, JR., *Durham, N. C.*
J. GORDON SCANNELL, *Boston*
DAVID B. SKINNER, *Chicago*
NICHOLAS P. D. SMYTH, *Washington, D. C.*
FRANK C. SPENCER, *New York*
ALBERT STARR, *Portland*
JOE R. UTLEY, *San Diego*
V. L. WILLMAN, *St. Louis*

Editorial assistant AGNES M. OSBORN, *Rochester, Minn.*

Former Editors
EVARTS A. GRAHAM, *Editor, 1931-1957*
EMILE HOLMAN, *Editor, 1957-1962*
BRIAN BLADES, *Editor, 1962-1977*

Volume 82, July-December, 1981
The C. V. Mosby Company
St. Louis, Mo.

Volume 82
Copyright © 1981 by The C. V. Mosby Company
All rights reserved
Printed in the United States of America

Author index*

A

Abbey Smith R, 325
Acar J, 114
Adams PX, 904
Adler RH, 150
Agarwal KC, 638 (L)
Agosti Sánchez J, 569
Alexander SL, 365
Alfieri O, 176
Alivizatos P, 531
Allen L 531
Alpert BS, 301
Alvarez Ayuso L, 569
Amoury RA, 706
Anagnostopoulos CE, 293, 683 (D)
Anderson MJ, 383
Anderson RH, 405, 928
Antunes AM, 1
Arbulu A, 684, 691 (D)
Arcilla R, 293
Arnold R, 436
Arom KV, 674
Asfaw I, 684, 713
Ashcraft KW, 706, 712 (D)
Aubry P, 576
Austen WG, 38
Austin EH, 127
Ayabe H, 211
Azar H, 175 (D)

B

Babuthaman, 314
Baguet J, 45
Bailey LL, 779
Bailey WW, 765
Baker EJ, 56 (D)
Balderman SC, 860, 870, 941 (L)
Barash PG, 5
Barner HB, 26, 699
Barratt-Boyes BG, 738
Bartles DM, 194
Bastanier CK, 616
Baue AE, 5
Becker AE, 405
Becker H, 810
Belleville J, 45
Belsey R, 712 (D)
Benages A, 335
Bendz R, 837
Ben-Shachar G, 268, 595
Berman ND, 383
Bernatz PE, 70
Berry BE, 147
Berry T, 98
Bex J-P, 457, 629
Bhayana JN, 860
Bianchi T, 176
Biello DR, 848
Binette P, 860
Bjarke B, 773
Björk VO, 682 (D), 773, 870
Blackstone EH, 692
Blasco E, 335
Bloch G, 576
Bolognesi DP, 63
Bomfim V, 773, 837
Bonchek LI, 462 (L), 878
Borkon AM, 601
Bowen TE, 257
Bowman FO Jr, 501, 510 (D)
Brashear RE, 77
Bregman D, 1
Breslau PJ, 765
Brownlee RT, 136
Brunet A, 254
Brunner MC, 293
Brunsden BS, 547
Buckberg GD, 18, 221, 810, 870
Buda AJ, 383
Bull A, 263
Burgos Lázaro R, 569
Burke M, 768
Burkholder JA, 239
Buroker T, 713
Burton JR, 758
Butchart EG, 38

C

Cachera J-P, 576
Cadilhac M, 114
Campbell CD, 156 (L)
Campbell DN, 511
Campbell M, 538
Capuano D, 5
Carpentier A, 585
Castaneda AR, 511
Castrini G, 190
Catinella FP, 904
Center S, 334
Cha SD, 752
Chan A, 860
Charlesworth D, 941 (L)
Chatterjee K, 372
Chaux A, 158 (L)
Cherian G, 314
Chevallier B, 254
Chiemmongkoltip P, 293
Choh JH, 150
Choo MH, 794
Christlieb IY, 848
Clagett OT, 56 (D)
Clark RE, 727 (D), 848, 870
Codd JE, 699
Coghlan HC, 447
Coleman WS, 883
Conkle DM, 365
Conti VR, 391
Cooley DA, 182
Cooper JD, 211, 559, 568 (D), 892
Cornillon B, 45
Cosgrove DM, 520, 529 (D)
Cottrell AJ, 632
Covitz W, 301
Cox JL, 216
Crupi G, 176
Cukingnan RA, 528 (D)
Culham JAG, 398
Cunningham JN Jr, 904

D

Daggett WM, 883
Damiano R, 216
Danielson GK, 93, 107
David TE, 383
Davis CS, 70
DeLaria GA, 941 (L)
DeLeon SY, 98
de Leval M, 281
Deloche A, 585
DeMeester TR, 547, 711 (D)
Dequirot A, 423
Di Biasi P, 892
Dickinson DF, 103
Dietrick RB, 58
Dindogru A, 713
Dixon CM, 239
Dobell ARC, 785
Donahoo JS, 461 (L)
Doroshow RW, 779
Dorsey JS, 941 (L)
Doty DB, 518 (D)
Dreyfus G, 457
Dubost C, 585
Ducimetiere P, 114
Duff DF, 182
Dugan DJ, 56 (D)
Dureau G, 45
Durrer S, 297

E

Ebert PA, 169
Edwards JE, 268, 595
Edwards WD, 418
Ellis FH Jr, 718 (D)
Ellison N, 940 (L)
Ellison RG, 720
Emery RW, 674
Engelman RM, 938 (L)

E

Faber LP, 567 (D), 658
Fakas AN, 1
Feldt RH, 93
Fell G, 765
Feola M, 643 (L)
Ferguson TB, 848
Ferrans V, 391
Fey K,221
Figuera Aymerich D, 569
Filler RM, 198
Fitzgerald RH Jr, 194
FitzGibbon GM, 758
Flemma RJ, 529 (D)
Flint LM, 341
Foglia RP, 18, 221
Follette DM, 221
Fontana RS, 70
Fowler RS, 398
Franklin R, 713

*July, pp. 1-162; August, pp. 163-324; September, pp. 325-486; October, pp. 487-648; November, pp. 649-808; December, pp. 809-966. *Key:* In this index, (C) = commentary, (D) = discussion, and (L) = letter to the Editor.

Freedom RM, 398
Frenckner BP, 773
Frescura C, 928
Fuhrman TM, 13

G

Gage AA, 860
Gail MH, 649
Galey J-J, 576
Gallucci V, 928
Geha AS, 5, 88
Gellatly TA, 898
Gerbaux A, 585
Gerlis LM, 405
Germon P, 752
Gersh BJ, 794
Ginsberg RJ, 542, 546 (D)
Goldberg M, 211
Goldfaden DM, 669
Goluch L, 293
Goor DA, 790
Gott VL, 492
Graham BG, 372
Graham EA, 489
Graham JM, 310
Grayzel J, 156 (L)
Greco RS, 272
Green GE, 529 (D)
Griffith LSC, 492
Grillo HC, 568 (D)
Grondin CM, 608
Guerraty A, 531
Gula G, 297

H

Hahn JW, 26
Hamilton DI, 103, 429, 436
Hamilton WK, 372
Hammond G, 5, 88
Hankins JR, 718 (D)
Harrison LH Jr, 345
Harvey RA, 272
Haworth SG, 281
Hazan E, 423, 629
Hearne SF, 915
Hélias J, 608
Helly JJ Jr, 221
Henry R, 272
Hess M, 531
Hesslein PS, 640 (L)
Ho SY, 405, 928
Holder TM, 706
Holmes DR Jr, 794, 915
Holmes EC, 538
Hoschner D, 713
Hughes D, 639 (L)
Hull MT, 77
Humphrey EW, 358
Hvass U, 592

I

Idriss FS, 98
Iglehart JD, 63
Igo SR, 13
Ilbawi MN, 98
Ilves R, 559
Ivey TD, 765
Iwen GW, 898

J

Jacobson JG, 779
Jacocks MA, 883
Jairaj PS, 314
Jallut H, 114
James EC, 898
James TN, 447
Janik JS, 198
Jaretzki A III, 726 (D)
Jarreau M-M, 423, 629
Jellinek M, 26
Jensik RJ, 658, 668 (D)
Jobes DR, 940 (L)
Joelsson BE, 547
John S, 314
Johnson LF, 547
Johnson RG, 883
Jones DP, 216
Jones M, 601, 669
Jones RH, 127
Jones SB, 797
Jorgensen CR, 674
Joyce LD, 595
Jude JR, 500 (D), 690 (D)
Judice L, 892
Judson JP, 107
Juffe Stein A, 569

K

Kaijser L, 837
Kaiser GC, 699
Kaiser LR, 538
Karp RB, 692
Karpawich PP, 182
Kastl DG, 263
Kaunitz VH, 463 (L)
Kennedy JH, 558 (D), 717 (D)
Kent KM, 601
Keon WJ, 758
Kern DH, 538
Kersten TE, 358
Khambatta HJ, 1
Kirklin JW, 692, 870
Kirschbaum M, 752
Kisslo JA Jr, 345
Kittle CF, 83, 293, 658
Knechtges T, 713
Kohanna FH, 904
Kolberg HL, 898
Kopriva CJ, 5
Kouchoukos NT, 692
Kramer JR, 520
Krishnaswamy S, 314

L

Laborde F, 423
Lafontaine E, 547
Laks H, 5, 88, 529 (D)
Landymore RW, 832
Lang P, 511
Langlois J, 592
Lavee J, 790
Lazar HL, 18, 810
Leach AJ, 758
Leaf JD, 810
Leca F, 423, 457
Lecompte Y, 629
Lee ME, 158 (L)
Leichman L, 713
Lemole G, 752
Leroy J, 254
Levett JM, 293
Lie JT, 915
Lima O, 211, 892
Lindesmith GG, 174 (D)
Lindsay WG, 674
Lipson LC, 601
Locatelli G, 176
Loh JJK, 713
Loisance DY, 576
Long RW, 785
Loop FD, 520
Lowe JB, 738
Lowenstein E, 883
Lower RR, 531, 537 (D)
Ludbrook PA, 848
Luk SC, 211
Luke DA, 461 (L)
Lumia F, 752
Luxereau P, 114
Lynfield J, 156 (L)
Lytle BW, 520

M

Macartney FJ, 281, 405
McDaniel DD, 1
Macdonald IL, 383
McEnany MT, 38
McFaul R, 306
McGoon DC, 93, 491, 729
McIntosh CL, 601
Mack JW, 169
McKneally MF, 656 (D)
McNamara DG, 182, 640 (L)
McNicholas KW, 642 (L)
Macoviak JA, 942 (L)
Magovern GJ, 239
Mair DD, 93
Malm JR, 642 (L), 737 (C)
Maloney JD, 794
Maloney JV Jr, 18, 221
Mandelbaum I, 77
Manganaro AJ, 18, 810
Mani GK, 314
Mann BD, 538
Maranhao V, 752
Marbarger JP, 848
Marchand M, 423, 457
Mark JBD, 545 (D)
Mattox KL, 310
Maurice P, 585
Mavroudis C, 49, 57 (D)
Mayer JE Jr, 358
Mazzucco A, 928
Medici D, 103
Melton LJ III, 729
Meng RL, 658
Menu P, 576
Menz LJ, 26
Merideth J, 794
Merrill WH, 365
Millard P, 306
Miller DW, 765
Miller P, 713
Mills NL, 528 (D), 639 (L)
Mills SA, 801
Milo S, 790
Minagi H, 49
Mirowski M, 492
Mittra D, 248
Mittra S, 248
Miyamura H, 398
Molina R, 335
Montelaro RC, 63
Moore HV, 301, 720
Moores WY, 643 (L)
Mora F, 335
Moreno-Ossett E, 335
Morere M, 254
Morrow AG, 601, 669
Moulton AL, 501, 510 (D), 639 (L)
Mountain CF, 649, 657 (D)
Mower MM, 492
Moyers JR, 372
Mudd JG, 699
Mullins CE, 182
Muralidharan S, 314
Murray WR, 248
Mustafa I, 297
Musumeci F, 436
Myers JL, 263, 922

N

Najafi H, 941 (L)
Nardi D, 5
Nathan IM, 904
Neufeld HN, 790
Neutze JM, 738
Neveux J-Y, 457, 629
Newell JC, 203
Nicoloff DM, 268, 674, 683 (D)
Nishimura A, 391
Noonan JA, 107
Norman JC, 13
Northrup WF III, 674
Norwood WI, 511, 519 (D)
Nowicki E, 306
Nugent AH, 136

O

Ochsner A, 667 (D)
Ochsner JL, 639 (L)
O'Fallon WM, 729
Olin CL, 773, 837
Olinger GN, 878

O'Sullivan GC, 547
Oyonarte M, 103

P

Pacifico AD, 692
Pae WE Jr, 889, 922
Pai GP, 720
Pairolero PC, 70
Pak JS, 58
Pape LA, 768
Pappalardo G, 190
Pappas G, 643 (L)
Parenzan L, 176
Paris F, 335
Parker EF, 194, 718 (D)
Parr GVS, 889
Parsonnet V, 158 (L)
Passelecq J, 585
Pasternack BS, 904
Pastor J, 335
Paul J, 45
Paul MH, 616
Paulson DL, 163
Payne WS, 70
Pearson DT, 632
Pearson FG, 559
Pelled B, 790
Pemberton JR, 738
Pennington DG, 699
Peter CA, 127
Peters WJ, 211
Petry EL, 779
Piccoli GP, 429, 436
Pierce WS, 263, 641 (L), 889, 922
Pietruk T, 713
Pifarré R, 941 (L)
Pluth JR, 794, 915
Pontius RG, 107
Ports TA, 372
Poulain H, 576
Powers SR, 203
Price J, 768
Prigent C, 585
Prophet GA, 922

Q

Quaid TP, 147

R

Rabinovitch M, 292 (C)
Racca RG, 136
Radley-Smith R, 297
Rainer WG, 462 (L)
Ramos L, 892
Randall WC, 797
Rao PS, 301
Redonnet M, 254
Reid PR, 492
Replogle RL, 293
Rhodes GR, 203
Richardson JD, 341
Ridocci MT, 335
Robert P, 608
Roberts LB, 248
Roberts R, 848
Robertson JM, 810
Rosenberg JC, 713
Rousou JH, 938 (L)
Rubin JW, 720, 727 (D)
Rulliere R, 585
Ryan JW, 547

S

Saarela E, 245
Sabiston DC Jr, 63, 345
Sade RM, 58, 938 (L)
Sanderson CJ, 293
Saunders CL, 520
Schreiner B, 278
Schwartz AJ, 940 (L)
Scotten LN, 136
Scovill WA, 203
Seydel H, 713
Shackford SR, 463 (L)
Shah DM, 203
Shahian DM, 83, 941 (L)
Shaw KM, 461 (L)
Shem Tov A, 790
Simpson JS, 198
Singh RN, 909
Skinner DB, 547
Smith DL, 56 (D)
Smith WM, 738
Snow N, 341
Sobel BE, 848
Sosa JA, 909
Soyer R, 254
Spencer F, 832, 870
Spotnitz HM, 350
Standeven JW, 26
Starr A, 157 (L)
Steed DL, 221
Steiger Z, 713, 719 (D)
Stephenson LW, 942 (L)
Sterling R, 13
Stewart S, 278
Stiles QR, 154, 870
Stone JG, 1
Stout LC, 391
Strafford M, 642 (L)
Strandness DE Jr, 765
Strauss HD, 383
Ström SJ, 837
Sturm JT, 13, 461 (L)
Sukumar IP, 314
Sylvén CH, 837
Symmonds JB, 49

T

Tarazona V, 335
Taylor KM, 248
Taylor M, 203
Taylor WF, 70
Téllez de Peralta G, 569
Thiene G, 928
Thilenius O, 293
Thomas AN, 49
Thys DM, 1
Tice D, 832
Tin N, 98
Tiraboschi R, 176
Todd TRJ, 559
Torres A, 713
Townsend E, 211
Trehan N, 832
Tri TB, 257
Trinkle JK, 158 (L)
Trusler GA, 398, 510 (D)
Trusty J, 794
Tu TV, 629
Turley K, 169
Turner SA, 13
Tyras DH, 699

U

Uhlenhopp MA, 70
Ullyot DJ, 372
Upsdell MP, 738
Urthaler F, 447

V

Vahanian A, 114
Vaisiamapayan G, 713
Vaitkevicius V, 713
Valere PE, 592
Vander Salm TJ, 768, 883
vanHeeckeren DW, 461 (L)
Vanini V, 176
Vasile N, 576
Viinikka L, 245
Villani M, 176
Vinten-Johansen J, 810
Vlay SC, 492
Vlodaver Z, 595
Vouhé PR, 576, 608

W

Wada J, 462 (L)
Wakabayashi A, 528 (D)
Waldhausen JA, 640 (L),641 (L), 922
Walker DK, 136
Walker-Smith G, 5
Wallace RB, 93
Wallgren CG, 773
Wang Y, 674
Wareham EE, 779
Warner M, 531
Warzynski MJS, 63
Watkins L Jr, 492, 500 (D)
Wehrmacher WH, 797
Weiner MD, 616
Weisfeldt ML, 492
Weldon CS, 848
Wenink ACG, 928
Werner JC, 641 (L)
Wessel HU, 616
White FN, 821
Whitman V, 641 (L)
Wideman FE, 692
Wilcox BR, 405
Wilkinson JL, 436, 928
Wilkinson PL, 372
Williams DE, 70
Williams EH, 391
Williams WG, 398
Willman VL, 690 (D), 699
Wilson JM, 169, 175 (D)
Wilson RF, 713
Wolfe WG, 63, 216
Wong CYH, 350
Wortham DC, 257

Y

Yacoub M, 297
Ylikorkala O, 245

Z

Zannini L, 629
Zelis R, 889

Subject index*

A

Abdominal aortic conduit, left ventricular–, complicated by late gastric erosion (Berry and Quaid), 147

Acute dissections involving ascending aorta, surgical management of: early and late results in 38 patients (Cachera et al.), 576

Adult ductus: review of surgical experience with 131 patients (John et al.), 314 (curr. tech.)

respiratory distress syndrome, effects of dopamine, ethanol, and mannitol on cardiopulmonary function in patients with (Rhodes et al.), 203

Air embolism during cardiopulmonary bypass (Hughes), 639 (letter); Reply (Mills and Ochsner), 639

Altitude-induced hypoxia on regional myocardial blood flow, effect of (Jones et al.), 216

American Association for Thoracic Surgery: Announcement of 1982 Annual Meeting, 160, 322, 483, 645, 805, 943

Annual meeting notes, 320

Graham Traveling Fellowship, 162, 324

Roster of members, 465

Board of Thoracic Surgery: Notice of 1982 certifying examination, 161, 323, 648, 808, 946

Notice of postponement of recertification examination, 161, 323, 648

clinical trial, first, of nifedipine in cardioplegia: report of first 12 month experience (Clark et al.), 848

Amylase-creatinine clearance ratio following cardiopulmonary bypass (Murray et al.), 248

Analgesia, epidural, for post-thoracotomy patients (James et al.), 898

Anastomosis(es), aortopulmonary, pulmonary artery stenosis following (Trusler et al.), 398

coronary, rapid, use of punch to obtain consistently uniform venotomy for (Stiles), 154 (curr. tech.)

-subclavian, growth in: long-term clinical confirmation after treatment of anomalous left main coronary artery (Sanderson et al.), 293

esophagogastric, substernal, in palliation of esophageal carcinoma, use of EEA stapler for (Mills), 801 (curr. tech.)

internal mammary artery–coronary artery: influence of side branches on surgical result (Singh and Sosa), 909

Waterston, for initial palliation of tetralogy of Fallot (Parenzan et al.), 176

persistent stenosis and deformity of right pulmonary artery after correction of (Wilson et al.), 169

Anatomy and pathology, surgical, of conduction tissues in atrioventricular defects (Thiene et al.), 928

Anesthesia, halothane and morphine–nitrous oxide, in patients undergoing coronary artery bypass operation: patterns of intraoperative ischemia (Wilkinson et al.), 372

one-lung, using endobronchial blocker, new technique for (Ginsberg), 542

Aneurysm, annular, subaortic, discrete membranous subaortic stenosis, and valvular aortic stenosis and incompetence, successful surgical repair of: case report and review of literature (Lavee et al.), 790

false, of left coronary artery (Hearne et al.), 915

Angina, minimal, coronary artery disease with: medical versus surgical therapy (Tyras et al.), 699

Angioplasty, subclavian flap: experimental study in growing piglets (Pae et al.), 922

*July, pp. 1-162; August, pp. 163-324; September, pp. 325-486; October, pp. 487-648; November, pp. 649-808; December, pp. 809-966.

Anniversary, thoughts on the Journal's fiftieth (McGoon), 491
Annular aneurysm, subaortic, discrete membranous subaortic stenosis, and valvular aortic stenosis and incompetence, successful surgical repair of: case report and review of literature (Lavee et al.), 790
Anomalous left main coronary artery, long-term clinical confirmation after treatment of: growth in coronary-subclavian anastomoses (Sanderson et al.), 293
origin of left coronary artery from anterior aortic sinus: potential cause of sudden death. Anatomic characterization and surgical treatment (Mustafa et al.), 297
in infancy and childhood, surgical treatment of: early and late results in 20 consecutive cases (Laborde et al.), 423
right superior vena cava to left atrium, surgical correction of (Alpert et al.), 301
Anomaly, congenital, unusual: tandem coarctation of thoracic aorta (Hvass et al.), 592
Antibiotic bonding to vascular prostheses (Henry et al.), 272
Antineoplastic therapy, in vitro assessment of: new indication for thoracotomy? (Kaiser et al.), 538
Aorta, ascending, surgical management of acute dissections involving: early and late results in 38 patients (Cachera et al.), 576
coarctation of, isolated, surgical intervention in infants with (Hesslein and McNamara), 640 (letter); Reply (Waldhausen et al.), 641
surgical repair of (McNicholas et al.), 642 (letter); Reply (Pappas), 643
thoracic, tandem coarctation of: unusual congenital anomaly (Hvass et al.), 592
Aortic arch, interrupted, and coarctation, complex, transmediastinal repair of (DeLeon et al.), 98
PTFE graft for (Donahoo), 461 (letter); Reply (Sturm and vanHeeckeren), 461
type B, ventricular septal defect, and patent ductus arteriosus, primary definitive repair of: early and late results (Moulton and Bowman), 501
conduit, left ventricular–abdominal, complicated by late gastric erosion (Berry and Quaid), 147
homograft conduit, modified, as main pulmonary trunk in anatomic correction of transposition of great arteries, interposition of: report of two cases and technical considerations (Piccoli and Hamilton), 429
insufficiency, tuberculous: report of case with successful surgical treatment (Soyer et al.), 254
sinus, anterior, anomalous origin of left coronary artery from: potential cause of sudden death. Anatomic characterization and surgical treatment (Mustafa et al.), 297
stenosis and incompetence, valvular, subaortic annular aneurysm, and discrete membranous subaortic stenosis, successful surgical repair of: case report and review of literature (Lavee et al.), 790
valve bioprosthesis, standard orifice, Hancock, hemodynamic function of (Borkon et al.), 601
disease, chronic, surgically treated, prognosis of: predictive indicators of early postoperative risk and long-term survival, based on 439 cases (Acar et al.), 114
hospital mortality of re-replacement of: incremental risk factors (Wideman et al.), 692
insufficiency, associated, ventricular septal defect with: progression of insufficiency and operative results in young children (Karpawich et al.), 182
Aortic valve insufficiency—Cont'd
in infancy, right coronary–left ventricular fistula mimicking (Dobell and Long), 785
replacement, myocardial protection during: comparison of different methods by intraoperative coronary sinus blood sampling and postoperative serial serum enzyme determinations (Olin et al.), 837
Aortoplasty with left subclavian flap in older children (Hamilton et al.), 103
Aortopulmonary anastomoses, pulmonary artery stenosis following (Trusler et al.), 398
Approach, physiological, comparative, to hypothermia (White), 821 (edit.)
Arch, aortic, interrupted, and coarctation, complex, transmediastinal repair of (DeLeon et al.), 98
PTFE graft for (Donahoo), 461 (letter); Reply (Sturm and vanHeeckeren), 461
type B, ventricular septal defect, and patent ductus arteriosus, primary definitive repair of: early and late results (Moulton and Bowman), 501
Arterial disease, carotid, in patients undergoing coronary artery bypass operations (Breslau et al.), 765
Arteriosus, ductus, illusions leading to surgical closure of distal left pulmonary artery instead of (Pontius et al.), 107
truncus, type I, preliminary experimental analysis and clinical application in neonate with: biologic reconstruction of right ventricular outflow tract (Bailey et al.), 779
Artery(ies). *See also* specific arteries
anastomosis, internal mammary artery–coronary: influence of side branches on surgical result (Singh and Sosa), 909
bypass. *See* Bypass
disease, coronary, with minimal angina: medical versus surgical therapy (Tyras et al.), 699
great, transposition of, anatomic correction of: new technique without use of prosthetic conduit (Lecompte et al.), 629
interposition of modified aortic homograft conduit as main pulmonary trunk in anatomic correction of: report of two cases and technical considerations (Piccoli and Hamilton), 429
"simple," appraisal of Mustard procedure for physiological correction of: eighty consecutive cases, 1970-1980 (Piccoli et al.), 436
hemorrhage, pulmonary, catheter-induced: diagnosis and management in cardiac operations (McDaniel et al.), 1
perforation, pulmonary, catheter-induced: mechanisms, management, and modifications (Barash et al.), 5
stenosis, coronary, critical, on myocardial protection through cold potassium cardioplegia, influence of (Grondin et al.), 608
pulmonary, following aortopulmonary anastomoses (Trusler et al.), 398
Ascending aorta, surgical management of acute dissections involving: early and late results in 38 patients (Cachera et al.), 576
Assessment, time for (Paulson), 163 (Presidential Address)
Atresia, esophageal, wide gap, with inaccessible upper pouch (Janik et al.), 198
pulmonary, with ventricular septal defect and hypoplastic pulmonary arteries, surgical repair of: different approach (Agarwal), 638 (letter)
tricuspid, case following Fontan procedure for: separation of neointima from Dacron graft causing obstruction (Ben-Shachar et al.), 268

Atresia, tricuspid—Cont'd
modified technique for correction of (Neveux et al.), 457 (curr. tech.)
Atrioventricular canal, persistent, incomplete, long-term results of repair of (Goldfaden et al.), 669
concordance and situs solitus, surgical anatomy of double-outlet right ventricle with (Wilcox et al.), 405
defects, surgical anatomy and pathology of conduction tissues in (Thiene et al.), 928
Atrium, left, following replacement of mitral valve, mural thrombosis of (Ben-Shachar et al.), 595
surgical correction of anomalous right superior vena cava to (Alpert et al.), 301
right, method of discarding cardioplegic solution via (Rousou and Engelman), 938 (letter)
Automatic defibrillation in man: initial surgical experience (Watkins et al.), 492
Autotransplantation, lung, effects of methylprednisolone and azathioprine on bronchial healing following (Lima et al.), 211
Azathioprine and methylprednisolone on bronchial healing following lung autotransplantation, effects of (Lima et al.), 211

B

Ball valves, silicone, valve replacement with (Lynfield), 156 (letter); Reply (Starr), 157
Balloon pumping, intra-aortic, in conjunction with combined use of dopamine and nitroprusside therapy for treatment of postcardiotomy low-output syndrome (Sturm et al.), 13
in coronary disease (Grayzel), 156 (letter); Reply (Campbell), 156
BCG treatment, intrapleural, adjuvant, surgical, for Stage I non–small cell lung cancer: preliminary report of the National Cancer Institute Lung Cancer Study Group (Mountain and Gail), 649
Biologic reconstruction of right ventricular outflow tract: preliminary experimental analysis and clinical application in neonate with type I truncus arteriosus (Bailey et al.), 779
Bioprosthesis, aortic valve, standard orifice, Hancock, hemodynamic function of (Borkon et al.), 601
Bioprosthetic infection, early calcific stenosis of aortic and mitral Ionescu-Shiley valves in patient with (Williams et al.), 391
Blockade, alpha adrenergic, competitive, with thymoxamine after cardiopulmonary bypass for cardiac operations, reduction of systemic vascular resistance by (Cottrell and Pearson), 632
Blocker, endobronchial, new technique for one-lung anesthesia using (Ginsberg), 542
Blood flow and distribution, coronary, in right ventricular hypertrophy (Merrill et al.), 365
myocardial, regional, effect of altitude-induced hypoxia on (Jones et al.), 216
potassium cardioplegia, cold: effects of increasing concentrations of potassium (Jellinek et al.), 26
sampling, coronary sinus, intraoperative, and postoperative serial serum enzyme determinations, comparison of different methods by: myocardial protection during aortic valve replacement (Olin et al.), 837
Bonding, antibiotic, to vascular prostheses (Henry et al.), 272
Branches, side, on surgical result, influence of: internal mammary artery–coronary artery anastomosis (Singh and Sosa), 909
Bronchial carcinoma, evaluation of long-term results of surgery for (Abbey Smith), 325 (Honored Guest's Address)
healing following lung autotransplantation, effects of methylprednisolone and azathioprine on (Lima et al.), 211
Bronchogenic carcinoma, function of secretory immune system in: immunoglobulin A levels in respiratory secretions (Iglehart et al.), 63
primary, second, survival following resection for (Jensik et al.), 658
Bronchoscopic removal of bullet, penetrating bullet wound of chest with (Choh and Adler), 150
Bullae, emphysematous, median sternotomy for bilateral resection of (Lima et al.), 892
Bullet embolectomy, right ventricular, without cardiopulmonary bypass (Graham and Mattox), 310
wound, penetrating, of chest with bronchoscopic removal of bullet (Choh and Adler), 150
Bypass, cardiopulmonary, air embolism during (Hughes), 639 (letter); Reply (Mills and Ochsner), 639
amylase-creatinine clearance ratio following (Murray et al.), 248
for cardiac operations, reduction of systemic vascular resistance by competitive alpha adrenergic blockade with thymoxamine after (Cottrell and Pearson), 632
detrimental effects of premature use of inotropic drugs to discontinue (Lazar et al.), 18
increased prostacyclin and thromboxane production in man during (Ylikorkala et al.), 245
influence of contractility on myocardial water distribution during (Butchart et al.), 38
right ventricular bullet embolectomy without (Graham and Mattox), 310
coronary artery, importance of topical hypothermia to ensure uniform myocardial cooling during (Landymore et al.), 832
perioperative myocardial infarction complicating: clinical and angiographic correlations and prognosis (Burton et al.), 758
grafting, preparation of saphenous veins for (Luke and Shaw), 461 (letter); Reply (Bonchek), 462
left heart, fusion of prosthetic valve during (Myers et al.), 263
operation(s), coronary artery, carotid arterial disease in patients undergoing (Breslau et al.), 765
halothane and morphine–nitrous oxide anesthesia in patients undergoing: patterns of intraoperative ischemia (Wilkinson et al.), 372
long-term results following: importance of preoperative factors and complete revascularization (Buda et al.), 383
Bypassed, should coronary arteries with less than fifty percent stenosis be (Cosgrove et al.), 520

C

Calcific stenosis, early, of aortic and mitral Ionescu-Shiley valves in patient with bioprosthetic infection (Williams et al.), 391
Calcium, potassium, pH, and osmolarity, reperfusate, reducing postischemic damage by temporary modification of (Follette et al.), 221

Canal, atrioventricular, persistent, incomplete, long-term results of repair of (Goldfaden et al.), 669
Cancer, lung, does computed tomography aid in staging of (Center), 334 (edit.)
non–small cell, Stage I, surgical adjuvant intrapleural BCG treatment for: preliminary report of National Cancer Institute Lung Cancer Study Group (Mountain and Gail), 649
Stage I, survival of patients surgically treated for (Williams et al.), 70
Canine heart transplantation, orthotopic, successful, after 24 hours of in vitro preservation (Guerraty et al.), 531
Capillary permeability, pulmonary, effects of transfusion of emboli and aged plasma on (Mayer et al.), 358
Carcinoma, bronchial, evaluation of long-term results of surgery for (Abbey Smith), 325 (Honored Guest's Address)
bronchogenic, function of secretory immune system in: immunoglobulin A levels in respiratory secretions (Iglehart et al.), 63
primary, second, survival following resection for (Jensik et al.), 658
of cardia: tactical problem (Castrini and Pappalardo), 190
esophageal, use of EEA stapler for substernal esophagogastric anastomosis in palliation of (Mills), 801 (curr. tech.)
of esophagus, tracheoesophageal fistulas secondary to (Fitzgerald et al.), 194
squamous cell, of esophagus with chemotherapy, radiotherapy, and surgical therapy, eradication and palliation of (Steiger et al.), 713
Cardia, carcinoma of: tactical problem (Castrini and Pappalardo), 190
Cardiac hypothermia, topical, improved method of (Bonchek and Olinger), 878
intra-, repair, lung function in tetralogy of Fallot after (Wessel et al.), 616
operations, diagnosis and management in: catheter-induced pulmonary artery hemorrhage (McDaniel et al.), 1
reduction of systemic vascular resistance by competitive alpha adrenergic blockade with thymoxamine after cardiopulmonary bypass for (Cottrell and Pearson), 632
output determination after cardiac operation: lack of correlation between direct measurements and indirect estimates (Kohanna et al.), 904
rhythm or conduction upon flow in superior vena cava, effects of selectively produced changes in (Urthaler et al.), 447
surgery, diaphragmatic muscle in (Dorsey and Charlesworth), 941 (letter); Reply (Macoviak and Stephenson), 942
use of silicone rubber as pericardial substitute to facilitate reoperation in (Laks et al.), 88
valve prosthesis(es), St. Jude Medical, clinical and hemodynamic results with: three-year experience (Nicoloff et al.), 674
tilting disc, new: in vitro comparison of their hydrodynamic performance in mitral position (Scotten et al.), 136
Cardiogenic shock due to ventricular rupture: surgical approach (Parr et al.), 889
Cardioplegia, cold blood potassium: effects of increasing concentrations of potassium (Jellinek et al.), 26
first American clinical trial of nifedipine in: report of first 12 month experience (Clark et al.), 848
potassium-based, and nifedipine, improved myocardial protection with (Magovern et al.), 239
Cardioplegia, potassium—Cont'd
cold, influence of critical coronary artery stenosis on myocardial protection through (Grondin et al.), 608
Cardioplegic solution via right atrium, method of discarding (Rousou and Engelman), 938 (letter)
Cardiopulmonary bypass. *See* Bypass
function in patients with adult respiratory distress syndrome, effects of dopamine, ethanol, and mannitol on (Rhodes et al.), 203
Cardiotomy, post-, low-output syndrome, combined use of dopamine and nitroprusside therapy in conjunction with intra-aortic balloon pumping for treatment of (Sturm et al.), 13
Carotid arterial disease in patients undergoing coronary artery bypass operations (Breslau et al.), 765
Catheter-induced pulmonary artery hemorrhage: diagnosis and management in cardiac operations (McDaniel et al.), 1
perforation: mechanisms, management, and modifications (Barash et al.), 5
Swan-Ganz, placement of (Balderman), 941 (letter); Reply (Shahian et al.), 941
Cell granuloma, plasma (pulmonary pseudotumor), surgical treatment and course of (Mandelbaum et al.), 77
Chemotherapy, radiotherapy, and surgical therapy, eradication and palliation of squamous cell carcinoma of esophagus with (Steiger et al.), 713
Chest, flail (Kaunitz), 463 (letter); Reply (Shackford), 463
penetrating bullet wound of, with bronchoscopic removal of bullet (Choh and Adler), 150
Childhood and infancy, surgical treatment of anomalous origin of left coronary artery in: early and late results in 20 consecutive cases (Laborde et al.), 423
Children, older, aortoplasty with left subclavian flap in (Hamilton et al.), 103
by Thal fundoplication, treatment of gastroesophageal reflux in (Ashcraft et al.), 706
young, progression of insufficiency and operative results in: ventricular septal defect with associated aortic valve insufficiency (Karpawich et al.), 182
Chronic aortic valve disease, surgically treated, prognosis of: predictive indicators of early postoperative risk and long-term survival, based on 439 cases (Acar et al.), 114
empyema with special reference to paragonimiasis, results of decortication in (Dietrick et al.), 58
mitral insufficiency on left ventricular function during rest and exercise, effect of valve replacement for (Peter et al.), 127
Clearance ratio, amylase-creatinine, following cardiopulmonary bypass (Murray et al.), 248
Closure, surgical, of distal left pulmonary artery instead of ductus arteriosus, illusions leading to (Pontius et al.), 107
transatrial, of isolated ventricular septal defect, detachment of septal tricuspid leaflet during (Frenckner et al.), 773
Coarctation of aorta, isolated, surgical intervention in infants with (Hesslein and McNamara), 640 (letter); Reply (Waldhausen et al.), 641
surgical repair of (McNicholas et al.), 642 (letter); Reply (Pappas), 643
and interrupted aortic arch, complex, transmediastinal repair of (DeLeon et al.), 98
in neonate, repair of (Moulton), 639 (letter); Reply (Waldhausen), 640

Coarctation—Cont'd
tandem, of thoracic aorta: unusual congenital anomaly (Hvass et al.), 592
Cold blood potassium cardioplegia: effects of increasing concentrations of potassium (Jellinek et al.), 26
potassium cardioplegia, influence of critical coronary artery stenosis on myocardial protection through (Grondin et al.), 608
Colon replacement of esophagus, motor activity after: manometric evaluation (Benages et al.), 335
Computed tomography, does it aid in staging of lung cancer? (Center), 334 (edit.)
Concordance, atrioventricular, and situs solitus, surgical anatomy of double-outlet right ventricle with (Wilcox et al.), 405
Conduction or rhythm, cardiac, upon flow in superior vena cava, effects of selectively produced changes in (Urthaler et al.), 447
tissues in atrioventricular defects, surgical anatomy and pathology of (Thiene et al.), 928
Conduit, homograft, aortic, modified, as main pulmonary trunk in anatomic correction of transposition of great arteries, interposition of: report of two cases and technical considerations (Piccoli and Hamilton), 429
left ventricular–abdominal aortic, complicated by late gastric erosion (Berry and Quaid), 147
prosthetic, new technique without use of: anatomic correction of transposition of great arteries (Lecompte et al.), 629
Congenital anomaly, unusual: tandem coarctation of thoracic aorta (Hvass et al.), 592
Constrictive fibrous endocarditis, surgical treatment of (Dubost et al.), 585
Contractility on myocardial water distribution during cardiopulmonary bypass, influence of (Butchart et al.), 38
Cooling, myocardial, uniform, during coronary artery bypass, importance of topical hypothermia to ensure (Landymore et al.), 832
Coronary anastomoses, rapid, use of punch to obtain consistently uniform venotomy for (Stiles), 154 (curr. tech.)
artery(ies) anastomosis, internal mammary artery: influence of side branches on surgical result (Singh and Sosa), 909
bypass, importance of topical hypothermia to ensure uniform myocardial cooling during (Landymore et al.), 832
operation(s), carotid arterial disease in patients undergoing (Breslau et al.), 765
halothane and morphine–nitrous oxide anesthesia in patients undergoing: patterns of intraoperative ischemia (Wilkinson et al.), 372
disease with minimal angina: medical versus surgical therapy (Tyras et al.), 699
left, from anterior aortic sinus, anomalous origin of: potential cause of sudden death. Anatomic characterization and surgical treatment (Mustafa et al.), 297
false aneurysm of (Hearne et al.), 915
in infancy and childhood, surgical treatment of anomalous origin of: early and late results in 20 consecutive cases (Laborde et al.), 423
main, anomalous, long-term clinical confirmation after treatment of: growth in coronary-subclavian anastomoses (Sanderson et al.), 293
with less than fifty percent stenosis, should they be bypassed? (Cosgrove et al.), 520
Coronary—Cont'd
stenosis, critical, on myocardial protection through cold potassium cardioplegia, influence of (Grondin et al.), 608
blood flow and distribution in right ventricular hypertrophy (Merrill et al.), 365
bypass operation, long-term results following: importance of preoperative factors and complete revascularization (Buda et al.), 383
perioperative myocardial infarction complicating: clinical and angiographic correlations and prognosis (Burton et al.), 758
disease and idiopathic hypertrophic subaortic stenosis, coexisting: clinical implication and operative management (Stewart and Schreiner), 278
intra-aortic balloon pumping in (Grayzel), 156 (letter); Reply (Campbell), 156
–left ventricular fistula, right, mimicking aortic valve insufficiency in infancy (Dobell and Long), 785
sinus blood sampling, intraoperative, and postoperative serial serum enzyme determinations, comparison of different methods by: myocardial protection during aortic valve replacement (Olin et al.), 837
-subclavian anastomoses, growth in: long-term clinical confirmation after treatment of anomalous left main coronary artery (Sanderson et al.), 293
Correction, anatomic, of transposition of great arteries, interposition of modified aortic homograft conduit as main pulmonary trunk in: report of two cases and technical considerations (Piccoli and Hamilton), 429
new technique without use of prosthetic conduit (Lecompte et al.), 629
physiological, of "simple" transposition of great arteries, appraisal of Mustard procedure for: eighty consecutive cases, 1970-1980 (Piccoli et al.), 436
of tricuspid atresia, modified technique for (Neveux et al.), 457 (curr. tech.)
Correspondence
Air embolism during cardiopulmonary bypass (Hughes), 639
Reply (Mills and Ochsner), 639
Diaphragmatic muscle in cardiac surgery (Dorsey and Charlesworth), 941
Reply (Macoviak and Stephenson), 942
Flail chest (Kaunitz), 463
Reply (Shackford), 463
Hemodilution with stroma-free hemoglobin solution (Feola), 643
Reply (Moores), 643
Heparin rebound (Jobes et al.), 940
Reply (Pifarré), 941
Intra-aortic balloon pumping in coronary disease (Grayzel), 156
Reply (Campbell), 156
Method of discarding cardioplegic solution via right atrium (Rousou and Engelman), 938
Physician or technician: surgeon in nursery (Sade), 938
Placement of Swan-Ganz catheter (Balderman), 941
Reply (Shahian et al.), 941
Preparation of saphenous veins for bypass grafting (Luke and Shaw), 461
Reply (Bonchek), 462
PTFE graft for interrupted aortic arch (Donahoo), 461
Reply (Sturm), 461
Repair of coarctation in the neonate (Moulton), 639

Correspondence—Cont'd
Reply (Waldhausen), 640
Reprint request—cost accounting (Trinkle), 158
St. Jude Medical valve prosthesis (Wada), 462
Reply (Rainer), 462
Surgical intervention in infants with isolated coarctation of the aorta (Hesslein and McNamara), 640
Reply (Waldhausen et al.), 641
Surgical repair of coarctation of the aorta (McNicholas et al.), 642
Reply (Pappas), 642
Surgical repair of pulmonary atresia with ventricular septal defect and hypoplastic pulmonary arteries: a different approach (Agarwal), 638
Thrombosis with endocardial pacing (Parsonnet), 158
Reply (Lee and Chaux), 158
Valve replacement with silicone ball valves (Lynfield), 156
Reply (Starr), 157
Cost accounting—reprint request (Trinkle), 158 (letter)
Creatinine-amylase clearance ratio following cardiopulmonary bypass (Murray et al.), 248

D

Dacron graft causing obstruction, separation of neointima from: case following Fontan procedure for tricuspid atresia (Ben-Shachar et al.), 268
Damage, myocardial, caused by keeping pH 7.40 during systemic deep hypothermia (Becker et al.), 810
Decortication in chronic empyema with special reference to paragonimiasis, results of (Dietrick et al.), 58
Defect(s), atrioventricular, surgical anatomy and pathology of conduction tissues in (Thiene et al.), 928
septal, ventricular, with associated aortic valve insufficiency: progression of insufficiency and operative results in young children (Karpawich et al.), 182
and hypoplastic pulmonary arteries, surgical repair of pulmonary atresia with: different approach (Agarwal), 638 (letter)
isolated, detachment of septal tricuspid leaflet during transatrial closure of (Frenckner et al.), 773
type B interrupted aortic arch, and patent ductus arteriosus, primary definitive repair of: early and late results (Moulton and Bowman), 501
Defibrillation, automatic, in man: initial surgical experience (Watkins et al.), 492
Deformity and stenosis, persistent, of right pulmonary artery after correction of Waterston anastomosis (Wilson et al.), 169
Diaphragmatic muscle in cardiac surgery (Dorsey and Charlesworth), 941 (letter); Reply (Macoviak and Stephenson), 942
Disease, arterial, carotid, in patients undergoing coronary artery bypass operations (Breslau et al.), 765
artery, coronary, with minimal angina: medical versus surgical therapy (Tyras et al.), 699
coronary, and idiopathic hypertrophic subaortic stenosis, coexisting: clinical implication and operative management (Stewart and Schreiner), 278
intra-aortic balloon pumping in (Grayzel), 156 (letter); Reply (Campbell), 156
Disease, valve, aortic, chronic, surgically treated, prognosis of: predictive indicators of early postoperative risk and long-term survival, based on 439 cases (Acar et al.), 114
Dissections, acute, involving ascending aorta, surgical management of: early and late results in 38 patients (Cachera et al.), 576
Distress syndrome, respiratory, adult, effects of dopamine, ethanol, and mannitol on cardiopulmonary function in patients with (Rhodes et al.), 203
Distribution and blood flow, coronary, in right ventricular hypertrophy (Merrill et al.), 365
Dogs during profound hypothermia, in vivo release of heparin-like factor in (Paul et al.), 45
Dopamine, ethanol, and mannitol on cardiopulmonary function in patients with adult respiratory distress syndrome, effects of (Rhodes et al.), 203
and nitroprusside therapy in conjunction with intra-aortic balloon pumping for treatment of postcardiotomy low-output syndrome, combined use of (Sturm et al.), 13
Double-outlet right ventricle with situs solitus and atrioventricular concordance, surgical anatomy of (Wilcox et al.), 405
and tetralogy of Fallot: two distinct but not mutually exclusive entities (Edwards), 418 (edit.)
Drugs, inotropic, to discontinue cardiopulmonary bypass, detrimental effects of premature use of (Lazar et al.), 18
Ductus, adult: review of surgical experience with 131 patients (John et al.), 314 (curr. tech.)
arteriosus, illusions leading to surgical closure of distal left pulmonary artery instead of (Pontius et al.), 107
patent, type B interrupted aortic arch, and ventricular septal defect, primary definitive repair of: early and late results (Moulton and Bowman), 501

E

Editorial: Comparative physiological approach to hypothermia (White), 821
Does computed tomography aid in staging of lung cancer? (Center), 334
Double-outlet right ventricle and tetralogy of Fallot: two distinct but not mutually exclusive entities (Edwards), 418
Hierarchy of supraventricular pacemakers (Randall et al.), 797
Editor's page from first issue, 487
EEA stapler for substernal esophagogastric anastomosis in palliation of esophageal carcinoma, use of (Mills), 801 (curr. tech.)
Embolectomy, bullet, right ventricular, without cardiopulmonary bypass (Graham and Mattox), 310
Embolism, air, during cardiopulmonary bypass (Hughes), 639 (letter); Reply (Mills and Ochsner), 639
Emboli and aged plasma on pulmonary capillary permeability, effects of transfusion of (Mayer et al.), 358
Emphysematous bullae, median sternotomy for bilateral resection of (Lima et al.), 892
Empyema, chronic, with special reference to paragonimiasis, results of decortication in (Dietrick et al.), 58
thoracis, improved survival in management of (Mavroudis et al.), 49
End-diastolic pressure–diameter relations of human left ventricle after pericardiotomy, effect of nitroprusside on (Wong and Spotnitz), 350
Endobronchial blocker, new technique for one-lung anesthesia using (Ginsberg), 542

Endocardial pacing, thrombosis with (Parsonnet), 158 (letter); Reply (Lee and Chaux), 158
Endocarditis, fibrous, constrictive, surgical treatment of (Dubost et al.), 585
Enzyme determinations, serum, serial, postoperative, and intraoperative coronary sinus blood sampling, comparison of different methods by: myocardial protection during aortic valve replacement (Olin et al.), 837
Epicardial pacemaker systems, infected: partial versus total removal (Choo et al.), 794
Epidural analgesia for post-thoracotomy patients (James et al.), 898
Eradication and palliation of squamous cell carcinoma of esophagus with chemotherapy, radiotherapy, and surgical therapy (Steiger et al.), 713
Erosion, gastric, late, left ventricular–abdominal aortic conduit complicated by (Berry and Quaid), 147
Esophageal atresia, wide gap, with inaccessible upper pouch (Janik et al.), 198
  carcinoma, use of EEA stapler for substernal esophagogastric anastomosis in palliation of (Mills), 801 (curr. tech.)
Esophagogastrectomy, successful management of esophagopericardial fistula complicating (Shahian and Kittle), 83
Esophagogastric anastomosis, substernal, in palliation of esophageal carcinoma, use of EEA stapler for (Mills), 801 (curr. tech.)
Esophagopericardial fistula complicating esophagogastrectomy, successful management of (Shahian and Kittle), 83
Esophagus, carcinoma of, tracheoesophageal fistulas secondary to (Fitzgerald et al.), 194
  with chemotherapy, radiotherapy, and surgical therapy, eradication and palliation of squamous cell carcinoma of (Steiger et al.), 713
  and gastroesophageal junction, relationship of hiatal hernia to function of body of (DeMeester et al.), 547
  motor activity after colon replacement of: manometric evaluation (Benages et al.), 335
Ethanol, dopamine, and mannitol on cardiopulmonary function in patients with adult respiratory distress syndrome, effects of (Rhodes et al.), 203
Exercise and rest, effect of valve replacement for chronic mitral insufficiency on left ventricular function during (Peter et al.), 127
Extraction of intramyocardial foreign body utilizing operative ultrasonography (Harrison et al.), 345

F

Factor, heparin-like, in dogs during profound hypothermia, in vivo release of (Paul et al.), 45
Fallot, tetralogy of, and double-outlet right ventricle: two distinct but not mutually exclusive entities (Edwards), 418 (edit.)
  after intracardiac repair, lung function in (Wessel et al.), 616
  Waterston anastomosis for initial palliation of (Parenzan et al.), 176
False aneurysm of left coronary artery (Hearne et al.), 915
Fibrous endocarditis, constrictive, surgical treatment of (Dubost et al.), 585
Fistula(s), esophagopericardial, complicating esophagogastrectomy, successful management of (Shahian and Kittle), 83
  right coronary–left ventricular, mimicking aortic valve insufficiency in infancy (Dobell and Long), 785
Fistula—Cont'd
  tracheoesophageal, secondary to carcinoma of esophagus (Fitzgerald et al.), 194
Flail chest (Kaunitz), 463 (letter); Reply (Shackford), 463
Flap angioplasty, subclavian: experimental study in growing piglets (Pae et al.), 922
  left subclavian, in older children, aortoplasty with (Hamilton et al.), 103
Flow, blood, coronary, and distribution in right ventricular hypertrophy (Merrill et al.), 365
  myocardial, regional, effect of altitude-induced hypoxia on (Jones et al.), 216
  in superior vena cava, effects of selectively produced changes in cardiac rhythm or conduction upon (Urthaler et al.), 447
Fontan procedure for tricuspid atresia, case following: separation of neointima from Dacron graft causing obstruction (Ben-Shachar et al.), 268
Foreign body, intramyocardial, utilizing operative ultrasonography, extraction of (Harrison et al.), 345
Foreward to first issue (Graham), 489
Function of body of esophagus and gastroesophageal junction, relationship of hiatal hernia to (DeMeester et al.), 547
  cardiopulmonary, in patients with adult respiratory distress syndrome, effects of dopamine, ethanol, and mannitol on (Rhodes et al.), 203
  hemodynamic, of Hancock standard orifice aortic valve bioprosthesis (Borkon et al.), 601
  left ventricular, during rest and exercise, effect of valve replacement for chronic mitral insufficiency on (Peter et al.), 127
  lung, in tetralogy of Fallot after intracardiac repair (Wessel et al.), 616
  of secretory immune system in bronchogenic carcinoma: immunoglobulin A levels in respiratory secretions (Iglehart et al.), 63
  ventricular, before and after mitral valve replacement (Kirschbaum et al.), 752
Fundoplication, Thal, treatment of gastroesophageal reflux in children by (Ashcraft et al.), 706
Fusion of prosthetic valve during left heart bypass (Myers et al.), 263

G

Gastric erosion, late, left ventricular—abdominal aortic conduit complicated by (Berry and Quaid), 147
Gastroesophageal junction and body of esophagus, relationship of hiatal hernia to function of (DeMeester et al.), 547
  reflux in children by Thal fundoplication, treatment of (Ashcraft et al.), 706
Graft, Dacron, causing obstruction, separation of neointima from: case following Fontan procedure for tricuspid atresia (Ben-Shachar et al.), 268
  PTFE, for interrupted aortic arch (Donahoo), 461 (letter); Reply (Sturm and vanHeeckeren), 461
Grafting, bypass, preparation of saphenous veins for (Luke and Shaw), 461 (letter); Reply (Bonchek), 462
Granuloma, plasma cell (pulmonary pseudotumor), surgical treatment and course of (Mandelbaum et al.), 77
Gravis, myasthenia, factors affecting response to thymectomy for (Rubin et al.), 720
Guest Reviewers for The Journal of Thoracic and Cardiovascular Surgery, 809

H

Halothane and morphine–nitrous oxide anesthesia in patients undergoing coronary artery bypass operation: patterns of intraoperative ischemia (Wilkinson et al.), 372
Hancock standard orifice aortic valve bioprosthesis, hemodynamic function of (Borkon et al.), 601
Heart bypass, left, fusion of prosthetic valve during (Myers et al.), 263
  syndrome, left, hypoplastic, experience with (Norwood et al.), 511
  transplantation, canine, orthotopic, successful, after 24 hours of in vitro preservation (Guerraty et al.), 531
  univentricular, current status of septation procedure for (Feldt et al.), 93
Hemodilution with stroma-free hemoglobin solution (Feola), 643 (letter); Reply (Moores), 643
Hemodynamic and clinical results with St. Jude Medical cardiac valve prosthesis: three-year experience (Nicoloff et al.), 674
  function of Hancock standard orifice aortic valve bioprosthesis (Borkon et al.), 601
Hemoglobin solution, stroma-free, hemodilution with (Feola), 643 (letter); Reply (Moores), 643
Hemorrhage from myocardial revascularization (Vander Salm et al.), 768
  pulmonary artery, catheter-induced: diagnosis and management in cardiac operations (McDaniel et al.), 1
Heparin-like factor in dogs during profound hypothermia, in vivo release of (Paul et al.), 45
  rebound (Jobes et al.), 940 (letter); Reply (Pifarré), 941
Hernia, hiatal, to function of body of esophagus and gastroesophageal junction, relationship of (DeMeester et al.), 547
Homograft conduit, aortic, modified, as main pulmonary trunk in anatomic correction of transposition of great arteries, interposition of: report of two cases and technical considerations (Piccoli and Hamilton), 429
Honored Guest's Address: Evaluation of long-term results of surgery for bronchial carcinoma (Abbey Smith), 325
Hydatidosis, pulmonary, surgical treatment of (Alvarez Ayuso et al.), 569
Hydrodynamic performance in mitral position, in vitro comparison of their: new tilting disc cardiac valve prostheses (Scotten et al.), 136
Hyperperfusion and hypoperfusion in immature lung: pulmonary arterial development following ligation of left pulmonary artery in newborn pig (Haworth et al.), 281
Hypertrophic subaortic stenosis, idiopathic, and coronary disease, coexisting: clinical implication and operative management (Stewart and Schreiner), 278
Hypertrophy, right ventricular, coronary blood flow and distribution in (Merrill et al.), 365
Hypoperfusion and hyperperfusion in immature lung: pulmonary arterial development following ligation of left pulmonary artery in newborn pig (Haworth et al.), 281
Hypoplastic left heart syndrome, experience with (Norwood et al.), 511
  pulmonary arteries and ventricular septal defect, surgical repair of pulmonary atresia with: different approach (Agarwal), 638 (letter)
Hypothermia, cardiac, topical, improved method of (Bonchek and Olinger), 878
Hypothermia—Cont'd
  comparative physiological approach to (White), 821 (edit.)
  deep, systemic, myocardial damage caused by keeping pH 7.40 during (Becker et al.), 810
  profound, in vivo release of heparin-like factor in dogs during (Paul et al.), 45
  topical, to ensure uniform myocardial cooling during coronary artery bypass, importance of (Landymore et al.), 832
Hypoxia, altitude-induced, on regional myocardial blood flow, effect of (Jones et al.), 216

I

Idiopathic hypertrophic subaortic stenosis and coronary disease, coexisting: clinical implication and operative management (Stewart and Schreiner), 278
Immune system, secretory, in bronchogenic carcinoma, function of: immunoglobulin A levels in respiratory secretions (Iglehart et al.), 63
Immunoglobulin A levels in respiratory secretions: function of secretory immune system in bronchogenic carcinoma (Iglehart et al.), 63
Incompetence and stenosis, aortic, valvular, subaortic annular aneurysm, and discrete membranous subaortic stenosis, successful surgical repair of: case report and review of literature (Lavee et al.), 790
Infancy and childhood, surgical treatment of anomalous origin of left coronary artery in: early and late results in 20 consecutive cases (Laborde et al.), 423
  right coronary–left ventricular fistula mimicking aortic valve insufficiency in (Dobell and Long), 785
Infants with isolated coarctation of aorta, surgical intervention in (Hesslein and McNamara), 640 (letter); Reply (Waldhausen et al.), 641
Infarction, myocardial, perioperative, complicating coronary bypass: clinical and angiographic correlations and prognosis (Burton et al.), 758
Infected epicardial pacemaker systems: partial versus total removal (Choo et al.), 794
Infection(s), bioprosthetic, early calcific stenosis of aortic and mitral Ionescu-Shiley valves in patient with (Williams et al.), 391
  tracheostomy, necrotizing, management of (Snow et al.), 341
Injuries, tracheal, complex, use of silicone tracheal T-tube for management of (Cooper et al.), 559
Inotropic drugs to discontinue cardiopulmonary bypass, detrimental effects of premature use of (Lazar et al.), 18
Insufficiency, aortic, tuberculous: report of case with successful surgical treatment (Soyer et al.), 254
  valve, associated, ventricular septal defect with: progression of insufficiency and operative results in young children (Karpawich et al.), 182
  in infancy, right coronary–left ventricular fistula mimicking (Dobell and Long), 785
  mitral, chronic, on left ventricular function during rest and exercise, effect of valve replacement for (Peter et al.), 127
Internal mammary artery–coronary artery anastomosis: influence of side branches on surgical result (Singh and Sosa), 909
Interrupted aortic arch and coarctation, complex, transmediastinal repair of (DeLeon et al.), 98
  PTFE graft for (Donahoo), 461 (letter); Reply (Sturm and vanHeeckeren), 461

Interrupted aortic arch—Cont'd
type B, ventricular septal defect, and patent ductus arteriosus, primary definitive repair of: early and late results (Moulton and Bowman), 501
Intra-aortic balloon pumping in conjunction with combined use of dopamine and nitroprusside therapy for treatment of postcardiotomy low-output syndrome (Sturm et al.), 13
in coronary disease (Grayzel), 156 (letter); Reply (Campbell), 156
Intracardiac repair, lung function in tetralogy of Fallot after (Wessel et al.), 616
Intramyocardial foreign body utilizing operative ultrasonography, extraction of (Harrison et al.), 345
Intrapleural BCG treatment, adjuvant, surgical, for Stage I non–small cell lung cancer: preliminary report of the National Cancer Institute Lung Cancer Study Group (Mountain and Gail), 649
Ionescu-Shiley valves, aortic and mitral, in patient with bioprosthetic infection, early calcific stenosis of (Williams et al.), 391
Ischemia, intraoperative, patterns of: halothane and morphine–nitrous oxide anesthesia in patients undergoing coronary artery bypass operation (Wilkinson et al.), 372
Ischemic, post-, damage, reducing, by temporary modification of reperfusate calcium, potassium, pH, and osmolarity (Follette et al.), 221

J

Junction, gastroesophageal, and body of esophagus, relationship of hiatal hernia to function of (DeMeester et al.), 547

L

Leaflet, tricuspid, septal, during transatrial closure of isolated ventricular septal defect, detachment of (Frenckner et al.), 773
Low-output syndrome, postcardiotomy, combined use of dopamine and nitroprusside therapy in conjunction with intra-aortic balloon pumping for treatment of (Sturm et al.), 13
Lung autotransplantation, effects of methylprednisolone and azathioprine on bronchial healing following (Lima et al.), 211
cancer, does computed tomography aid in staging of (Center), 334 (edit.)
non–small cell, Stage I, surgical adjuvant intrapleural BCG treatment for: preliminary report of National Cancer Institute Lung Cancer Study Group (Mountain and Gail), 649
Stage I, survival of patients surgically treated for (Williams et al.), 70
function in tetralogy of Fallot after intracardiac repair (Wessel et al.), 616
immature, hypoperfusion and hyperperfusion in: pulmonary arterial development following ligation of left pulmonary artery in newborn pig (Haworth et al.), 281
one-, anesthesia using endobronchial blocker, new technique for (Ginsberg), 542

M

Mammary artery–coronary artery anastomosis, internal: influence of side branches on surgical result (Singh and Sosa), 909
Mannitol, dopamine, and ethanol on cardiopulmonary function in patients with adult respiratory distress syndrome, effects of (Rhodes et al.), 203
Manometric evaluation: motor activity after colon replacement of esophagus (Benages et al.), 335
Mapping, temperature, myocardial: improved intraoperative myocardial preservation (Daggett et al.), 883
Methylprednisolone and azathioprine on bronchial healing following lung autotransplantation, effects of (Lima et al.), 211
Mitral insufficiency, chronic, on left ventricular function during rest and exercise, effect of valve replacement for (Peter et al.), 127
position, in vitro comparison of their hydrodynamic performance in: new tilting disc cardiac valve prostheses (Scotten et al.), 136
valve, mural thrombosis of left atrium following replacement of (Ben-Shachar et al.), 595
replacement, ventricular function before and after (Kirschbaum et al.), 752
valvotomy, open: effect of preoperative factors on result (Smith et al.), 738
Morphine–nitrous oxide and halothane anesthesia in patients undergoing coronary artery bypass operation: patterns of intraoperative ischemia (Wilkinson et al.), 372
Motor activity after colon replacement of esophagus: manometric evaluation (Benages et al.), 335
Mural thrombosis of left atrium following replacement of mitral valve (Ben-Shachar et al.), 595
Muscle, diaphragmatic, in cardiac surgery (Dorsey and Charlesworth), 941 (letter); Reply (Macoviak and Stephenson), 942
Mustard procedure for physiological correction of "simple" transposition of great arteries, appraisal of: eighty consecutive cases, 1970-1980 (Piccoli et al.), 436
Myasthenia gravis, factors affecting response to thymectomy for (Rubin et al.), 720
Myocardial blood flow, regional, effect of altitude-induced hypoxia on (Jones et al.), 216
cooling, uniform, during coronary artery bypass, importance of topical hypothermia to ensure (Landymore et al.), 832
damage caused by keeping pH 7.40 during systemic deep hypothermia (Becker et al.), 810
infarction, perioperative, complicating coronary bypass: clinical and angiographic correlations and prognosis (Burton et al.), 758
intra-, foreign body utilizing operative ultrasonography, extraction of (Harrison et al.), 345
preservation symposium (Stiles and Kirklin), 870
protection during aortic valve replacement: comparison of different methods by intraoperative coronary sinus blood sampling and postoperative serial serum enzyme determinations (Olin et al.), 837
improved, with nifedipine and potassium-based cardioplegia (Magovern et al.), 239
through cold potassium cardioplegia, influence of critical coronary artery stenosis on (Grondin et al.), 608
revascularization, hemorrhage from (Vander Salm et al.), 768
temperature mapping: improved intraoperative myocardial preservation (Daggett et al.), 883
ultrastructure and high-energy phosphates in man, perioperative preservation of (Balderman et al.), 860

Myocardial—Cont'd
water distribution during cardiopulmonary bypass, influence of contractility on (Butchart et al.), 38

N

National Cancer Institute Lung Cancer Study Group, preliminary report of: surgical adjuvant intrapleural BCG treatment for Stage I non–small cell lung cancer (Mountain and Gail), 649
Necrotizing tracheostomy infections, management of (Snow et al.), 341
Neointima from Dacron graft causing obstruction, separation of: case following Fontan procedure for tricuspid atresia (Ben-Shachar et al.), 268
Neonate, repair of coarctation in (Moulton), 639 (letter); Reply (Waldhausen), 640
with type I truncus arteriosus, preliminary experimental analysis and clinical application in: biologic reconstruction of right ventricular outflow tract (Bailey et al.), 779
Neoplastic, anti-, therapy, in vitro assessment of: new indication for thoracotomy? (Kaiser et al.), 538
Nifedipine in cardioplegia, first American clinical trial of: report of first 12 month experience (Clark et al.), 848
and potassium-based cardioplegia, improved myocardial protection with (Magovern et al.), 239
Nitroprusside and dopamine therapy in conjunction with intra-aortic balloon pumping for treatment of postcardiotomy low-output syndrome, combined use of (Sturm et al.), 13
on end-diastolic pressure–diameter relations of human left ventricle after pericardiotomy, effect of (Wong and Spotnitz), 350
Nursery, surgeon in: physician or technician (Sade), 938 (letter)

O

Obstruction, separation of neointima from Dacron graft causing: case following Fontan procedure for tricuspid atresia (Ben-Shachar et al.), 268
Open mitral valvotomy: effect of preoperative factors on result (Smith et al.), 738
Operation, cardiac, cardiac output determination after: lack of correlation between direct measurements and indirect estimates (Kohanna et al.), 904
Origin, anomalous, of left coronary artery from anterior aortic sinus: potential cause of sudden death. Anatomic characterization and surgical treatment (Mustafa et al.), 297
in infancy and childhood, surgical treatment of: early and late results in 20 consecutive cases (Laborde et al.), 423
Orthotopic canine heart transplantation, successful, after 24 hours of in vitro preservation (Guerraty et al.), 531
Osmolarity, calcium, potassium, and pH, reperfusate, reducing post-ischemic damage by temporary modification of (Follette et al.), 221
Outflow tract, right ventricular, biologic reconstruction of: preliminary experimental analysis and clinical application in neonate with type I truncus arteriosus (Bailey et al.), 779
Output determination, cardiac, after cardiac operation: lack of correlation between direct measurements and indirect estimates (Kohanna et al.), 904

P

Pacemaker(s), supraventricular, hierarchy of (Randall et al.), 797 (edit.)
systems, epicardial, infected: partial versus total removal (Choo et al.), 794
Pacing, endocardial, thrombosis with (Parsonnet), 158 (letter); Reply (Lee and Chaux), 158
Palliation and eradication of squamous cell carcinoma of esophagus with chemotherapy, radiotherapy, and surgical therapy (Steiger et al.), 713
of esophageal carcinoma, use of EEA stapler for substernal esophagogastric anastomosis in (Mills), 801 (curr. tech.)
initial, of tetralogy of Fallot, Waterston anastomosis for (Parenzan et al.), 176
Paragonimiasis, results of decortication in chronic empyema with special reference to (Dietrick et al.), 58
Patent ductus arteriosus, type B interrupted aortic arch, and ventricular septal defect, primary definitive repair of: early and late results (Moulton and Bowman), 501
Pathology and anatomy, surgical, of conduction tissues in atrioventricular defects (Thiene et al.), 928
Penetrating bullet wound of chest with bronchoscopic removal of bullet (Choh and Adler), 150
Perforation, pulmonary artery, catheter-induced: mechanisms, management, and modifications (Barash et al.), 5
Pericardial substitute to facilitate reoperation in cardiac surgery, use of silicone rubber as (Laks et al.), 88
Pericardiotomy, effect of nitroprusside on end-diastolic pressure–diameter relations of human left ventricle after (Wong and Spotnitz), 350
Permeability, capillary, pulmonary, effects of transfusion of emboli and aged plasma on (Mayer et al.), 358
Persistent atrioventricular canal, incomplete, long-term results of repair of (Goldfaden et al.), 669
pH 7.40 during systemic deep hypothermia, myocardial damage caused by keeping (Becker et al.), 810
calcium, potassium, and osmolarity, reperfusate, reducing post-ischemic damage by temporary modification of (Follette et al.), 221
Phosphates, high-energy, and myocardial ultrastructure in man, perioperative preservation of (Balderman et al.), 860
Physician or technician: surgeon in nursery (Sade), 938 (letter)
Physiological approach, comparative, to hypothermia (White), 821 (edit.)
Pig, newborn, pulmonary arterial development following ligation of left pulmonary artery in: hypoperfusion and hyperperfusion in immature lung (Haworth et al.), 281
Piglets, growing, experimental study in: subclavian flap angioplasty (Pae et al.), 922
Plasma, aged, and emboli on pulmonary capillary permeability, effects of transfusion of (Mayer et al.), 358
cell granuloma (pulmonary pseudotumor), surgical treatment and course of (Mandelbaum et al.), 77
Population-based requirements for thoracic surgery (Melton et al.), 729
Postcardiotomy low-output syndrome, combined use of dopamine and nitroprusside therapy in conjunction with intra-aortic balloon pumping for treatment of (Sturm et al.), 13
Postischemic damage, reducing, by temporary modification of reperfusate calcium, potassium, pH, and osmolarity (Follette et al.), 221
Post-thoracotomy patients, epidural analgesia for (James et al.), 898

Potassium-based cardioplegia and nifedipine, improved myocardial protection with (Magovern et al.), 239
calcium, pH, and osmolarity, reperfusate, reducing postischemic damage by temporary modification of (Follette et al.), 221
cardioplegia, cold blood: effects of increasing concentrations of potassium (Jellinek et al.), 26
influence of critical coronary artery stenosis on myocardial protection through (Grondin et al.), 608
Pouch, upper, inaccessible, wide gap esophageal atresia with (Janik et al.), 198
Preservation, myocardial, intraoperative, improved: myocardial temperature mapping (Daggett et al.), 883
perioperative, of myocardial ultrastructure and high-energy phosphates in man (Balderman et al.), 860
symposium, myocardial (Stiles and Kirklin), 870
in vitro, successful orthotopic canine heart transplantation after 24 hours of (Guerraty et al.), 531
Presidential Address: Time for assessment (Paulson), 163
Pressure-diameter relations, end-diastolic, of human left ventricle after pericardiotomy, effect of nitroprusside on (Wong and Spotnitz), 350
Primary bronchogenic carcinoma, second, survival following resection for (Jensik et al.), 658
Procedure, Mustard, for physiological correction of "simple" transposition of great arteries, appraisal of: eighty consecutive cases, 1970-1980 (Piccoli et al.), 436
septation, for univentricular heart, current status of (Feldt et al.), 93
Prognosis of surgically treated chronic aortic valve disease: predictive indicators of early postoperative risk and long-term survival, based on 439 cases (Acar et al.), 114
Prostacyclin and thromboxane production, increased, in man during cardiopulmonary bypass (Ylikorkala et al.), 245
Prosthesis(es), tricuspid, St. Jude Medical, thrombosis of: case report (Bowen et al.), 257
valve, cardiac, St. Jude Medical, clinical and hemodynamic results with: three-year experience (Nicoloff et al.), 674
tilting disc, new: in vitro comparison of their hydrodynamic performance in mitral position (Scotten et al.), 136
St. Jude Medical (Wada), 462 (letter); Reply (Rainer), 462
vascular, antibiotic bonding to (Henry et al.), 272
Prosthetic conduit, new technique without use of: anatomic correction of transposition of great arteries (Lecompte et al.), 629
replacement, tricuspid valvulectomy without: ten years of clinical experience (Arbulu and Asfaw), 684
valve during left heart bypass, fusion of (Myers et al.), 263
Protection, myocardial, during aortic valve replacement: comparison of different methods by intraoperative coronary sinus blood sampling and postoperative serial serum enzyme determinations (Olin et al.), 837
improved, with nifedipine and potassium-based cardioplegia (Magovern et al.), 239
through cold potassium cardioplegia, influence of critical coronary artery stenosis on (Grondin et al.), 608
Pseudotumor, pulmonary (plasma cell granuloma), surgical treatment and course of (Mandelbaum et al.), 77
PTFE graft for interrupted aortic arch (Donahoo), 461 (letter); Reply (Sturm and vanHeeckeren), 461
Pulmonary artery hemorrhage, catheter-induced: diagnosis and management in cardiac operations (McDaniel et al.), 1
Pulmonary artery—Cont'd
left, distal, instead of ductus arteriosus, illusions leading to surgical closure of (Pontius et al.), 107
in newborn pig, pulmonary arterial development following ligation of: hypoperfusion and hyperperfusion in immature lung (Haworth et al.), 281
perforation, catheter-induced: mechanisms, management, and modifications (Barash et al.), 5
right, after correction of Waterston anastomosis, persistent stenosis and deformity of (Wilson et al.), 169
stenosis following aortopulmonary anastomoses (Trusler et al.), 398
atresia with ventricular septal defect and hypoplastic pulmonary arteries, surgical repair of: different approach (Agarwal), 638 (letter)
capillary permeability, effects of transfusion of emboli and aged plasma on (Mayer et al.), 358
hydatidosis, surgical treatment of (Alvarez Ayuso et al.), 569
pseudotumor (plasma cell granuloma), surgical treatment and course of (Mandelbaum et al.), 77
trunk, main, in anatomic correction of transposition of great arteries, interposition of modified aortic homograft conduit as: report of two cases and technical considerations (Piccoli and Hamilton), 429
Pumping, balloon, intra-aortic, in conjunction with combined use of dopamine and nitroprusside therapy for treatment of postcardiotomy low-output syndrome (Sturm et al.), 13
in coronary disease (Grayzel), 156 (letter); Reply (Campbell), 156
Punch to obtain consistently uniform venotomy for rapid coronary anastomoses, use of (Stiles), 154 (curr. tech.)

R

Radiotherapy, chemotherapy, and surgical therapy, eradication and palliation of squamous cell carcinoma of esophagus with (Steiger et al.), 713
Ratio, clearance, amylase-creatinine, following cardiopulmonary bypass (Murray et al.), 248
Rebound, heparin (Jobes et al.), 940 (letter); Reply (Pifarré), 941
Reconstruction, biologic, of right ventricular outflow tract: preliminary experimental analysis and clinical application in neonate with type I truncus arteriosus (Bailey et al.), 779
Reflux, gastroesophageal, in children by Thal fundoplication, treatment of (Ashcraft et al.), 706
Removal, bronchoscopic, of bullet, penetrating bullet wound of chest with (Choh and Adler), 150
Reoperation in cardiac surgery, use of silicone rubber as pericardial substitute to facilitate (Laks et al.), 88
Repair of coarctation in neonate (Moulton), 639 (letter); Reply (Waldhausen), 640
definitive, primary, of type B interrupted aortic arch, ventricular septal defect, and patent ductus arteriosus: early and late results (Moulton and Bowman), 501
of incomplete persistent atrioventricular canal, long-term results of (Goldfaden et al.), 669
intracardiac, lung function in tetralogy of Fallot after (Wessel et al.), 616
surgical, of coarctation of aorta (McNicholas et al.), 642 (letter); Reply (Pappas), 643

Repair, surgical—Cont'd
successful, of subaortic annular aneurysm, discrete membranous subaortic stenosis, and valvular aortic stenosis and incompetence: case report and review of literature (Lavee et al.), 790
transmediastinal, of complex coarctation and interrupted aortic arch (DeLeon et al.), 98
Reperfusate calcium, potassium, pH, and osmolarity, reducing postischemic damage by temporary modification of (Follette et al.), 221
Replacement, valve. *See* Valve
colon, of esophagus, motor activity after: manometric evaluation (Benages et al.), 335
prosthetic, tricuspid valvulectomy without: ten years of clinical experience (Arbulu and Asfaw), 684
re-, of aortic valve, hospital mortality of: incremental risk factors (Wideman et al.), 692
Reprint request—cost accounting (Trinkle), 158 (letter)
Requirements, population-based, for thoracic surgery (Melton et al.), 729
Re-replacement of aortic valve, hospital mortality of: incremental risk factors (Wideman et al.), 692
Resection, bilateral, of emphysematous bullae, median sternotomy for (Lima et al.), 892
for second primary bronchogenic carcinoma, survival following (Jensik et al.), 658
Resistance, vascular, systemic, by competitive alpha adrenergic blockade with thymoxamine after cardiopulmonary bypass for cardiac operations, reduction of (Cottrell and Pearson), 632
Respiratory distress syndrome, adult, effects of dopamine, ethanol, and mannitol on cardiopulmonary function in patients with (Rhodes et al.), 203
secretions, immunoglobulin A levels in: function of secretory immune system in bronchogenic carcinoma (Iglehart et al.), 63
Rest and exercise, effect of valve replacement for chronic mitral insufficiency on left ventricular function during (Peter et al.), 127
Revascularization, complete, and preoperative factors, importance of: long-term results following coronary bypass operation (Buda et al.), 383
myocardial, hemorrhage from (Vander Salm et al.), 768
Rhythm or conduction, cardiac, upon flow in superior vena cava, effects of selectively produced changes in (Urthaler et al.), 447
Rings, vascular, necessitating right thoracotomy (McFaul et al.), 306
Risk factors, incremental: hospital mortality of re-replacement of aortic valve (Wideman et al.), 692
Rubber, silicone, as pericardial substitute to facilitate reoperation in cardiac surgery, use of (Laks et al.), 88
Rupture, ventricular, cardiogenic shock due to: surgical approach (Parr et al.), 889

S

Saphenous veins for bypass grafting, preparation of (Luke and Shaw), 461 (letter); Reply (Bonchek), 462
Secretions, respiratory, immunoglobulin A levels in: function of secretory immune system in bronchogenic carcinoma (Iglehart et al.), 63
Secretory immune system in bronchogenic carcinoma, function of: immunoglobulin A levels in respiratory secretions (Iglehart et al.), 63
Septal tricuspid leaflet during transatrial closure of isolated ventricular septal defect, detachment of (Frenckner et al.), 773
Septation procedure for univentricular heart, current status of (Feldt et al.), 93
Serum enzyme determinations, serial, postoperative, and intraoperative coronary sinus blood sampling, comparison of different methods by: myocardial protection during aortic valve replacement (Olin et al.), 837
Shock, cardiogenic, due to ventricular rupture: surgical approach (Parr et al.), 889
Silicone ball valves, valve replacement with (Lynfield), 156 (letter); Reply (Starr), 157
rubber as pericardial substitute to facilitate reoperation in cardiac surgery, use of (Laks et al.), 88
Sinus, anterior, anomalous origin of left coronary artery from: potential cause of sudden death. Anatomic characterization and surgical treatment (Mustafa et al.), 297
blood sampling, coronary, intraoperative, and postoperative serial serum enzyme determinations, comparison of different methods by: myocardial protection during aortic valve replacement (Olin et al.), 837
Situs solitus and atrioventricular concordance, surgical anatomy of double-outlet right ventricle with (Wilcox et al.), 405
Solution, cardioplegic, via right atrium, method of discarding (Rousou and Engelman), 938 (letter)
hemoglobin, stroma-free, hemodilution with (Feola), 643 (letter); Reply (Moores), 643
Squamous cell carcinoma of esophagus with chemotherapy, radiotherapy, and surgical therapy, eradication and palliation of (Steiger et al.), 713
St. Jude Medical cardiac valve prosthesis, clinical and hemodynamic results with: three-year experience (Nicoloff et al.), 674
tricuspid prosthesis, thrombosis of: case report (Bowen et al.), 257
valve prosthesis (Wada), 462 (letter); Reply (Rainer), 462
Stage I lung cancer, survival of patients surgically treated for (Williams et al.), 70
Staging of lung cancer, does computed tomography aid in (Center), 334 (edit.)
Stapler, EEA, for substernal esophagogastric anastomosis in palliation of esophageal carcinoma, use of (Mills), 801 (curr. tech.)
Stenosis, artery, coronary, critical, on myocardial protection through cold potassium cardioplegia, influence of (Grondin et al.), 608
pulmonary, following aortopulmonary anastomoses (Trusler et al.), 398
calcific, early, of aortic and mitral Ionescu-Shiley valves in patient with bioprosthetic infection (Williams et al.), 391
and deformity, persistent, of right pulmonary artery after correction of Waterston anastomosis (Wilson et al.), 169
fifty percent, be bypassed, should coronary arteries with less than (Cosgrove et al.), 520
subaortic, hypertrophic, idiopathic, and coronary disease, coexisting: clinical implication and operative management (Stewart and Schreiner), 278
membranous, discrete, subaortic annular aneurysm, and valvular aortic stenosis and incompetence, successful surgical repair of: case report and review of literature (Lavee et al.), 790

Sternotomy, median, for bilateral resection of emphysematous bullae (Lima et al.), 892
Stroma-free hemoglobin solution, hemodilution with (Feola), 643 (letter); Reply (Moores), 643
Subaortic stenosis, hypertrophic, idiopathic, and coronary disease, coexisting: clinical implication and operative management (Stewart and Schreiner), 278
Subclavian-coronary anastomoses, growth in: long-term clinical confirmation after treatment of anomalous left main coronary artery (Sanderson et al.), 293
flap angioplasty: experimental study in growing piglets (Pae et al.), 922
left, in older children, aortoplasty with (Hamilton et al.), 103
Substernal esophagogastric anastomosis in palliation of esophageal carcinoma, use of EEA stapler for (Mills), 801 (curr. tech.)
Substitute, pericardial, to facilitate reoperation in cardiac surgery, use of silicone rubber as (Laks et al.), 88
Superior vena cava, effects of selectively produced changes in cardiac rhythm or conduction upon flow in (Urthaler et al.), 447
right, anomalous, to left atrium, surgical correction of (Alpert et al.), 301
Supraventricular pacemakers, hierarchy of (Randall et al.), 797 (edit.)
Surgeon in nursery: physician or technician (Sade), 938 (letter)
Surgery for bronchial carcinoma, evaluation of long-term results of (Abbey Smith), 325 (Honored Guest's Address)
cardiac, diaphragmatic muscle in (Dorsey and Charlesworth), 941 (letter); Reply (Macoviak and Stephenson), 942
use of silicone rubber as pericardial substitute to facilitate reoperation in (Laks et al.), 88
thoracic, population-based requirements for (Melton et al.), 729
Surgical treatment and course of pulmonary pseudotumor (plasma cell granuloma) (Mandelbaum et al.), 77
Survival, improved, in management of empyema thoracis (Mavroudis et al.), 49
of patients surgically treated for Stage I lung cancer (Williams et al.), 70
Swan-Ganz catheter, placement of (Balderman), 941 (letter); Reply (Shahian et al.), 941
Symposium, myocardial preservation (Stiles and Kirklin), 870
Syndrome, distress, respiratory, adult, effects of dopamine, ethanol, and mannitol on cardiopulmonary function in patients with (Rhodes et al.), 203
left heart, hypoplastic, experience with (Norwood et al.), 511
low-output, postcardiotomy, combined use of dopamine and nitroprusside therapy in conjunction with intra-aortic balloon pumping for treatment of (Sturm et al.), 13
System(s), immune, secretory, in bronchogenic carcinoma, function of: immunoglobulin A levels in respiratory secretions (Iglehart et al.), 63
pacemaker, epicardial, infected: partial versus total removal (Choo et al.), 794
Systemic deep hypothermia, myocardial damage caused by keeping pH 7.40 during (Becker et al.), 810
vascular resistance by competitive alpha adrenergic blockade with thymoxamine after cardiopulmonary bypass for cardiac operations, reduction of (Cottrell and Pearson), 632

T

Table of Contents from first issue, 488
Tandem coarctation of thoracic aorta: unusual congenital anomaly (Hvass et al.), 592
Technician or physician: surgeon in nursery (Sade), 938 (letter)
Technique, modified, for correction of tricuspid atresia (Neveux et al.), 457 (curr. tech.)
new, for one-lung anesthesia using endobronchial blocker (Ginsberg), 542
without use of prosthetic conduit: anatomic correction of transposition of great arteries (Lecompte et al.), 629
Temperature mapping, myocardial: improved intraoperative myocardial preservation (Daggett et al.), 883
Tetralogy of Fallot and double-outlet right ventricle: two distinct but not mutually exclusive entities (Edwards), 418 (edit.)
after intracardiac repair, lung function in (Wessel et al.), 616
Waterston anastomosis for initial palliation of (Parenzan et al.), 176
Thal fundoplication, treatment of gastroesophageal reflux in children by (Ashcraft et al.), 706
Therapy, antineoplastic, in vitro assessment of: new indication for thoracotomy? (Kaiser et al.), 538
Thoracic aorta, tandem coarctation of: unusual congenital anomaly (Hvass et al.), 592
surgery, population-based requirements for (Melton et al.), 729
Thoracis, empyema, improved survival in management of (Mavroudis et al.), 49
Thoracotomy, new indication for: in vitro assessment of antineoplastic therapy (Kaiser et al.), 538
post-, patients, epidural analgesia for (James et al.), 898
right, vascular rings necessitating (McFaul et al.), 306
Thoughts on the Journal's fiftieth anniversary (McGoon), 491
Thrombosis with endocardial pacing (Parsonnet), 158 (letter); Reply (Lee and Chaux), 158
mural, of left atrium following replacement of mitral valve (Ben-Shachar et al.), 595
of St. Jude Medical tricuspid prosthesis: case report (Bowen et al.), 257
Thromboxane and prostacyclin production, increased, in man during cardiopulmonary bypass (Ylikorkala et al.), 245
Thymectomy for myasthenia gravis, factors affecting response to (Rubin et al.), 720
Thymoxamine after cardiopulmonary bypass for cardiac operations, reduction of systemic vascular resistance by competitive alpha adrenergic blockade with (Cottrell and Pearson), 632
Tilting disc cardiac valve prostheses, new: in vitro comparison of their hydrodynamic performance in mitral position (Scotten et al.), 136
Time for assessment (Paulson), 163 (Presidential Address)
Tissues, conduction, in atrioventricular defects, surgical anatomy and pathology of (Thiene et al.), 928
Tomography, computed, does it aid in staging of lung cancer? (Center), 334 (edit.)
Topical cardiac hypothermia, improved method of (Bonchek and Olinger), 878
hypothermia to ensure uniform myocardial cooling during coronary artery bypass, importance of (Landymore et al.), 832
Tracheal T-tube, silicone, for management of complex tracheal injuries, use of (Cooper et al.), 559
Tracheoesophageal fistulas secondary to carcinoma of esophagus (Fitzgerald et al.), 194
Tracheostomy infections, necrotizing, management of (Snow et al.), 341

Tract, outflow, right ventricular, biologic reconstruction of: preliminary experimental analysis and clinical application in neonate with type I truncus arteriosus (Bailey et al.), 779
Transatrial closure of isolated ventricular septal defect, detachment of septal tricuspid leaflet during (Frenckner et al.), 773
Transfusion of emboli and aged plasma on pulmonary capillary permeability, effects of (Mayer et al.), 358
Transmediastinal repair of complex coarctation and interrupted aortic arch (DeLeon et al.), 98
Transplantation, heart, canine, orthotopic, successful, after 24 hours of in vitro preservation (Guerraty et al.), 531
Transposition of great arteries, anatomic correction of: new technique without use of prosthetic conduit (Lecompte et al.), 629
interposition of modified aortic homograft conduit as main pulmonary trunk in anatomic correction of: report of two cases and technical considerations (Piccoli and Hamilton), 429
"simple," appraisal of Mustard procedure for physiological correction of: eighty consecutive cases, 1970-1980 (Piccoli et al.), 436
Treatment of postcardiotomy low-output syndrome, combined use of dopamine and nitroprusside therapy in conjunction with intra-aortic balloon pumping for (Sturm et al.), 13
surgical, of constrictive fibrous endocarditis (Dubost et al.), 585
of pulmonary hydatidosis (Alvarez Ayuso et al.), 569
Tricuspid atresia, case following Fontan procedure for: separation of neointima from Dacron graft causing obstruction (Ben-Shachar et al.), 268
modified technique for correction of (Neveux et al.), 457 (curr. tech.)
leaflet, septal, during transatrial closure of isolated ventricular septal defect, detachment of (Frenckner et al.), 773
prosthesis, St. Jude Medical, thrombosis of: case report (Bowen et al.), 257
valvulectomy without prosthetic replacement: ten years of clinical experience (Arbulu and Asfaw), 684
Truncus arteriosus, type I, preliminary experimental analysis and clinical application in neonate with: biologic reconstruction of right ventricular outflow tract (Bailey et al.), 779
T-tube, tracheal, silicone, for management of complex tracheal injuries, use of (Cooper et al.), 559
Tuberculous aortic insufficiency: report of case with successful surgical treatment (Soyer et al.), 254

U

Ultrasonography, operative, extraction of intramyocardial foreign body utilizing (Harrison et al.), 345
Ultrastructure, myocardial, and high-energy phosphates in man, perioperative preservation of (Balderman et al.), 860
Univentricular heart, current status of septation procedure for (Feldt et al.), 93

V

Valve(s), aortic, hospital mortality of re-replacement of: incremental risk factors (Wideman et al.), 692
bioprosthesis, aortic, standard orifice, Hancock, hemodynamic function of (Borkon et al.), 601
disease, aortic, chronic, surgically treated, prognosis of: predictive indicators of early postoperative risk and long-term survival, based on 439 cases (Acar et al.), 114
Valve—Cont'd
insufficiency, aortic, associated, ventricular septal defect with: progression of insufficiency and operative results in young children (Karpawich et al.), 182
in infancy, right coronary–left ventricular fistula mimicking (Dobell and Long), 785
Ionescu-Shiley, aortic and mitral, in patient with bioprosthetic infection, early calcific stenosis of (Williams et al.), 391
mitral, mural thrombosis of left atrium following replacement of (Ben-Shachar et al.), 595
prosthesis(es), cardiac, St. Jude Medical, clinical and hemodynamic results with: three-year experience (Nicoloff et al.), 674
tilting disc, new: in vitro comparison of their hydrodynamic performance in mitral position (Scotten et al.), 136
St. Jude Medical (Wada), 462 (letter); Reply (Rainer), 462
prosthetic, during left heart bypass, fusion of (Myers et al.), 263
replacement, aortic, myocardial protection during: comparison of different methods by intraoperative coronary sinus blood sampling and postoperative serial serum enzyme determinations (Olin et al.), 837
for chronic mitral insufficiency on left ventricular function during rest and exercise, effect of (Peter et al.), 127
mitral, ventricular function before and after (Kirschbaum et al.), 752
with silicone ball valves (Lynfield), 156 (letter); Reply (Starr), 157
Valvotomy, mitral, open: effect of preoperative factors on result (Smith et al.), 738
Valvular aortic stenosis and incompetence, subaortic annular aneurysm, and discrete membranous subaortic stenosis, successful surgical repair of: case report and review of literature (Lavee et al.), 790
Valvulectomy, tricuspid, without prosthetic replacement: ten years of clinical experience (Arbulu and Asfaw), 684
Vascular prostheses, antibiotic bonding to (Henry et al.), 272
resistance, systemic, by competitive alpha adrenergic blockade with thymoxamine after cardiopulmonary bypass for cardiac operations, reduction of (Cottrell and Pearson), 632
rings necessitating right thoracotomy (McFaul et al.), 306
Veins, saphenous, for bypass grafting, preparation of (Luke and Shaw), 461 (letter); Reply (Bonchek), 462
Vena cava, superior, effects of selectively produced changes in cardiac rhythm or conduction upon flow in (Urthaler et al.), 447
right, anomalous, to left atrium, surgical correction of (Alpert et al.), 301
Venotomy, consistently uniform, for rapid coronary anastomoses, use of punch to obtain (Stiles), 154 (curr. tech.)
Ventricle, left, human, after pericardiotomy, effect of nitroprusside on end-diastolic pressure–diameter relations of (Wong and Spotnitz), 350
right, double-outlet, with situs solitus and atrioventricular concordance, surgical anatomy of (Wilcox et al.), 405
and tetralogy of Fallot: two distinct but not mutually exclusive entities (Edwards), 418 (edit.)
Ventricular–abdominal aortic conduit, left, complicated by late gastric erosion (Berry and Quaid), 147
bullet embolectomy, right, without cardiopulmonary bypass (Graham and Mattox), 310
fistula, right coronary–left, mimicking aortic valve insufficiency in infancy (Dobell and Long), 785

Ventricular—Cont'd
function before and after mitral valve replacement (Kirschbaum et al.), 752
left, during rest and exercise, effect of valve replacement for chronic mitral insufficiency on (Peter et al.), 127
hypertrophy, right, coronary blood flow and distribution in (Merrill et al.), 365
outflow tract, right, biologic reconstruction of: preliminary experimental analysis and clinical application in neonate with type I truncus arteriosus (Bailey et al.), 779
rupture, cardiogenic shock due to: surgical approach (Parr et al.), 889
septal defect with associated aortic valve insufficiency: progression of insufficiency and operative results in young children (Karpawich et al.), 182
and hypoplastic pulmonary arteries, surgical repair of pulmonary atresia with: different approach (Agarwal), 638 (letter)
Ventricular septal defect—Cont'd
isolated, detachment of septal tricuspid leaflet during transatrial closure of (Frenckner et al.), 773
type B interrupted aortic arch, and patent ductus arteriosus, primary definitive repair of: early and late results (Moulton and Bowman), 501

W

Water distribution, myocardial, during cardiopulmonary bypass, influence of contractility on (Butchart et al.), 38
Waterston anastomosis for initial palliation of tetralogy of Fallot (Parenzan et al.), 176
persistent stenosis and deformity of right pulmonary artery after correction of (Wilson et al.), 169
Wound, bullet, penetrating, of chest with bronchoscopic removal of bullet (Choh and Adler), 150